

Bicycle Advisory Board

Tuesday February 18, 2020 - 6:00 PM 808 W. Spokane Falls Blvd. Council Briefing Center, Lower Level, City Hall



Staff Liaisons:

Louis Meuler (509) 625-6096 lmeuler@spokanecity.org
Colin Quinn-Hurst (509) 625-6804 cquinnhurst@spokanecity.org

Inga Note (509) 625-6331 <u>inote@spokanecity.org</u>
Kara Mowery (509) 625-6416 <u>kmowery@spokanecity.org</u>

Public Comment Period:

3 minutes each Citizens are invited to address the Bicycle Advisory Board (BAB) on any topic not on the agenda

Board Briefing Session:

1) Approve January 2020 Minutes

6:00 - 6:15

- 2) Liaison Reports
- 3) Chair Report
- 4) Staff Report: Comp. Plan amendments, WheelShare update, Centennial Trail Gap.

Workshops:

6:15 - 7:30

- 1) Post Street Bridge Construction and Centennial Trail Detour
- 2) Sub-committee formation

2020 Work Plan

- 1) Scheduling outreach booths
- 2) Planning summer mobile meeting
- 3) Code updates

Next BAB meeting is scheduled for Tuesday, March 21, 2021

The password for City of Spokane Guest Wireless access has been changed: Username: COS Guest Password: Prsvvx4T

AMERICANS WITH DISABILITIES ACT (ADA) INFORMATION: The City of Spokane is committed to providing equal access to its facilities, programs and services for persons with disabilities. The Council Briefing Center in the lower level of Spokane City Hall, 808 W. Spokane Falls Blvd., is wheelchair accessible and also is equipped with an infrared assistive listening system for persons with hearing loss. Headsets may be checked out (upon presentation of picture I.D.) through the meeting organizer. Individuals requesting reasonable accommodations or further information may call, write, or email Human Resources at 509.625.6363, 808 W. Spokane Falls Blvd, Spokane, WA, 99201; or msteinolfson@spokanecity.org. Persons who are deaf or hard of hearing may contact Human Resources through the Washington Relay Service at 7-1-1. Please contact us forty-eight (48) hours before the meeting date.

Bicycle Advisory Board - Draft Minutes

January 21, 2020

City Council Briefing Center

Meeting Minutes: Meeting called to order at 6:03 PM by Chair Grant Shipley

Attendance:

• Board Members Present: Grant Shipley (Chair), Jessica Engelman (Vice-Chair), Harrison Husting, Charlie Greenwood, Pablo Monsivais, Rhonda Young, Mike Bjordahl

Board Members Not Present:

Quorum Present: Yes

• Staff Members Present: Colin Quinn-Hurst

Public Comment:

- Holly Clausen from West Central spoke against the proposed expansion of the Centennial Trail
 through her neighborhood. She said that the plan would narrow the streets and take away land
 from people's property and she said that there is a better way that the trail could go which
 would be from Boone through Sans Souci. She has been collecting petitions regarding the issue.
- Mike Etter He also spoke against the proposed Centennial Trail Route through his neighborhood.
- Sue Etter She also spoke against the proposed Centennial Trail Route. She said that she was
 concerned about the safety of bicyclists and people waiting for the bus if the roads are
 changed to accommodate the trail.
 - Ruth Borgmann spoke against the proposed Centennial Trail route through West Central.
- Charlie Greenwood- Spoke against the proposed Centennial Trail route through West Central and is also against the narrowing of the streets.

Briefing Session:

Minutes from the December 17, 2019 meeting approved unanimously.

- 1. Liaison Report PCTS, CTAB
 - None
 - Chair Report Ryan Patterson
 - None
- 2. Staff Report Colin Quinn-Hurst
 - Colin recognized Ryan Patterson and presented her with a Certificate of Appreciation for her service as Chair on the Bicycle Advisory Board.

Workshops:

- 1. Don Kardong Bridge Update
 - Presentation provided by Nick Hamad, Spokane Parks & Recreation
 - Questions asked and answered
 - Discussion ensued

*** Ryan Patterson moved that during the Don Kardong Bridge reconstruction project rerouting, if any of the path is rerouted along the street, that temporary protected bike lanes be provided and that sidewalks are not considered an appropriate alternative for bike traffic along the route. And that we recommend Cincinnati to rejoin the trail (Centennial Trail). Motion Seconded and motion passed unanimously. **

Note: Minutes are summarized by staff. A recording of the meeting is on file with Planning Services.

- 2. Nevada Street Vacation by Gonzaga Prep.
 - Presentation provided by Colin Quinn-Hurst
 - · Questions asked and answered
 - Discussion ensued

Jessica Engelman motioned that if the street vacation goes through that it includes fully separated pedestrian and bicycle access along what is currently Nevada. Motion seconded and motion passed unanimously

2020 Work Plan:

Update to Work Plan:

- A. Committees
- B. Booths at Summer Events
- C. Summer mobile meeting/bike tour
- Presentation provided by Colin Quinn-Hurst
- Questions asked and answered
- Discussion ensued


Ryan Patterson motioned that all future bridge projects within City of Spokane shall locate the bike lanes within the concrete barrier so that they are separated from traffic and directly adjacent to the sidewalk. Motion Seconded and motion passed unanimously

Additional Commits:

Jessica Engelman announced that SpokAt will meet on Tuesday January 28, 2020 in the lower conference room in the Downtown Library at 5:30 PM. There will be a kick-off of an effort to create a crowd sourced bike route map for Spokane.

Meeting Adjourned at 7:34 PM

Next Bicycle Advisory Board Meeting scheduled for Tuesday, February 18, 2020



NAVD

REVISIONS NAVD88 = (OLD CBM ELEV.) - (13.13) AS OF JANUARY, 2000 USE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD88) BENCH MARK LOCATION: INSERT CBM LOCATION HERE CURRENT C O S DESIGN NAVD88 ELEV.: INSERT ELEV. INSERT ADDITIONAL CBM INFO HERE TANDARDS ADOPTED FEB, 2007 0 10 20 CBM NO.: INSERT CBM# INSERT CBM CURB LOCATION INFO HERE (IE: 12' NNCL) HORIZONTAL SCALE (22 x 34) PLAN & PROFILE 1"= 20' TAJ SCALE IN FEET DRAWN: 1/31/2020 NAVD88 DATUM APPROVED: LAW VERTICAL SCALE (22 x 34)

SPOKANI

CITY OF SPOKANE, WASHINGTON DEPARTMENT OF ENGINEERING SERVICES 808 WEST SPOKANE FALLS BLVD. SPOKANE, WASHINGTON 99201-3343 (509) 625-6700

GENERAL NOTES

- 1. SIGN PLACEMENT SHALL BE DETERMINED IN ACCORDANCE WITH
- 2. TRANSVERSE CROSSWALKS AND STOP LINES SHALL BE PLACED IN ACCORDANCE WITH COS STD PLAN G-51.
- 3. TRAFFIC ARROWS AND SYMBOLS SHALL BE IN ACCORDANCE WITH COS STD PLANS G-52A AND G-52B.
- 4. BICYCLE ARROWS AND SYMBOLS SHALL BE IN ACCORDANCE WITH COS STD PLAN G-53.
- 5. ALL LANE LINES SHALL BE IN ACCORDANCE WITH COS STD PLAN G-50A.
- 6. REFER TO SECTION 8-14 OF THE SPECIAL PROVISIONS FOR DETECTABLE WARNING SURFACE PRODUCT AND COLOR REQUIREMENTS.

CONSTRUCTION NOTES

- 1. WHITE EDGE LINE PER COS STD PLAN G-50A
- 2. BIKE LANE PER COS STD PLAN G-50A
- 3. DOUBLE YELLOW CENTER LINE PER COS STD PLAN G-50A
- 4. STOP LINE PER COS STD PLAN G-51
- 5. LONGITUDINAL CROSSWALK PER COS STD PLAN G-51
- 6. INSTALL R4-7 SIGN (KEEP RIGHT), 24" x 30"
- 7. INSTALL R5-1 SIGN (DO NOT ENTER), 30" x 30"
- 8. INSTALL R1-1 SIGN (STOP), $30" \times 30"$
- 9. INSTALL R5-1A SIGN (WRONG WAY), $36" \times 24"$
- 10. FLEXIBLE GUIDE POST, SURFACE MOUNT, SPACED 2' ON CENTER

LEGEND

BICYCLE PAINT

BICYCLE CROSSING

DETECTABLE WARNING SURFACE






206.622.5822

CH-01

POST STREET BRIDGE PROJECT NAME:

SEGMENT LIMITS: CHANNELIZATION AND SIGNING PLAN

TYPE OF IMPROVEMENT: BRIDGE PROJECT NO. PLAN NO. POST S(02)3 18-25-03 PROJECT LIMITS: Spokane Falls Blvd to W Summit Pkwy, Post St to Monroe St



REVISIONS NAVD88 = (OLD CBM ELEV.) - (13.13) AS OF JANUARY, 2000 USE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD88) BENCH MARK LOCATION: INSERT CBM LOCATION HERE SPOKANE CURRENT C.O.S. DESIGN NAVD88 ELEV.: INSERT ELEV. INSERT ADDITIONAL CBM INFO HERE STANDARDS ADOPTED FEB, 2007 0 10 20 CBM NO.: INSERT CBM# INSERT CBM CURB LOCATION INFO HERE (IE: 12' NNCL) HORIZONTAL SCALE (22 x 34) PLAN & PROFILE 1"= 20' TAJ DRAWN: SCALE IN FEET 1/31/2020 NAVD88 DATUM APPROVED: LAW VERTICAL SCALE (22 x 34)

CITY OF SPOKANE, WASHINGTON DEPARTMENT OF ENGINEERING SERVICES 808 WEST SPOKANE FALLS BLVD. SPOKANE, WASHINGTON 99201-3343 (509) 625-6700

GENERAL NOTES

- 1. SIGN PLACEMENT SHALL BE DETERMINED IN ACCORDANCE WITH
- 2. TRANSVERSE CROSSWALKS AND STOP LINES SHALL BE PLACED IN ACCORDANCE WITH COS STD PLAN G-51.
- 3. TRAFFIC ARROWS AND SYMBOLS SHALL BE IN ACCORDANCE WITH COS STD PLANS G-52A AND G-52B.
- 4. BICYCLE ARROWS AND SYMBOLS SHALL BE IN ACCORDANCE WITH COS STD PLAN G-53.
- 5. ALL LANE LINES SHALL BE IN ACCORDANCE WITH COS STD PLAN G-50A.
- 6. REFER TO SECTION 8-14 OF THE SPECIAL PROVISIONS FOR DETECTABLE WARNING SURFACE PRODUCT AND COLOR REQUIREMENTS.

CONSTRUCTION NOTES

- 1. WHITE EDGE LINE PER COS STD PLAN G-50A
- 2. BIKE LANE PER COS STD PLAN G-50A
- 3. DOUBLE YELLOW CENTER LINE PER COS STD PLAN G-50A
- 4. STOP LINE PER COS STD PLAN G-51
- 5. LONGITUDINAL CROSSWALK PER COS STD PLAN G-51
- 6. INSTALL R4-7 SIGN (KEEP RIGHT), 24" x 30"
- 7. INSTALL R5-1 SIGN (DO NOT ENTER), 30" x 30"
- 8. INSTALL R1-1 SIGN (STOP), $30" \times 30"$
- 9. INSTALL R5-1A SIGN (WRONG WAY), $36" \times 24"$
- 10. FLEXIBLE GUIDE POST, SURFACE MOUNT, SPACED 2' ON CENTER

LEGEND

BICYCLE PAINT

BICYCLE CROSSING

DETECTABLE WARNING SURFACE





CH-02

POST STREET BRIDGE PROJECT NAME: SEGMENT LIMITS:

CHANNELIZATION AND SIGNING PLAN

TYPE OF IMPROVEMENT: BRIDGE PROJECT NO. PLAN NO. POST S(02)3 18-25-03 PROJECT LIMITS: Spokane Falls Blvd to W Summit Pkwy, Post St to Monroe St

GENERAL NOTES

- 1. SIGN PLACEMENT SHALL BE DETERMINED IN ACCORDANCE WITH
- 2. TRANSVERSE CROSSWALKS AND STOP LINES SHALL BE PLACED IN ACCORDANCE WITH COS STD PLAN G-51.
- 3. TRAFFIC ARROWS AND SYMBOLS SHALL BE IN ACCORDANCE WITH COS STD PLANS G-52A AND G-52B.
- 4. BICYCLE ARROWS AND SYMBOLS SHALL BE IN ACCORDANCE WITH COS STD PLAN G-53.
- 5. ALL LANE LINES SHALL BE IN ACCORDANCE WITH COS STD PLAN G-50A.
- 6. REFER TO SECTION 8-14 OF THE SPECIAL PROVISIONS FOR DETECTABLE WARNING SURFACE PRODUCT AND COLOR REQUIREMENTS.

CONSTRUCTION NOTES

- 1. WHITE EDGE LINE PER COS STD PLAN G-50A
- 2. BIKE LANE PER COS STD PLAN G-50A
- 3. DOUBLE YELLOW CENTER LINE PER COS STD PLAN G-50A
- 4. STOP LINE PER COS STD PLAN G-51
- 5. LONGITUDINAL CROSSWALK PER COS STD PLAN G-51
- 6. INSTALL R4-7 SIGN (KEEP RIGHT), 24" x 30"
- 7. INSTALL R5-1 SIGN (DO NOT ENTER), 30" x 30"
- 8. INSTALL R1-1 SIGN (STOP), $30" \times 30"$
- 9. INSTALL R5-1A SIGN (WRONG WAY), $36" \times 24"$
- 10. FLEXIBLE GUIDE POST, SURFACE MOUNT, SPACED 2' ON CENTER


LEGEND

BICYCLE PAINT

BICYCLE CROSSING

DETECTABLE WARNING SURFACE





0 10 20

SCALE IN FEET

CBM NO.: INSERT CBM#

NAVD88 DATUM

INSERT ADDITIONAL CBM INFO HERE

INSERT CBM CURB LOCATION INFO HERE (IE: 12' NNCL)

VERTICAL SCALE (22 x 34)

HORIZONTAL SCALE (22 x 34) PLAN & PROFILE 1"= 20'



DRAWN:

CITY OF SPOKANE, WASHINGTON DEPARTMENT OF ENGINEERING SERVICES 808 WEST SPOKANE FALLS BLVD. SPOKANE, WASHINGTON 99201-3343 (509) 625-6700






CH-03

PROJECT NAME: SEGMENT LIMITS:

POST STREET BRIDGE

CHANNELIZATION AND SIGNING PLAN

TYPE OF IMPROVEMENT: BRIDGE PROJECT NO. PLAN NO. POST S(02)3 18-25-03 PROJECT LIMITS: Spokane Falls Blvd to W Summit Pkwy, Post St to Monroe St



GENERAL NOTES

- 1. SIGN PLACEMENT SHALL BE DETERMINED IN ACCORDANCE WITH
- 2. TRANSVERSE CROSSWALKS AND STOP LINES SHALL BE PLACED IN ACCORDANCE WITH COS STD PLAN G-51.
- 3. TRAFFIC ARROWS AND SYMBOLS SHALL BE IN ACCORDANCE WITH COS STD PLANS G-52A AND G-52B.
- 4. BICYCLE ARROWS AND SYMBOLS SHALL BE IN ACCORDANCE WITH COS STD PLAN G-53.
- 5. ALL LANE LINES SHALL BE IN ACCORDANCE WITH COS STD PLAN G-50A.
- 6. REFER TO SECTION 8-14 OF THE SPECIAL PROVISIONS FOR DETECTABLE WARNING SURFACE PRODUCT AND COLOR REQUIREMENTS.

CONSTRUCTION NOTES

- 1. WHITE EDGE LINE PER COS STD PLAN G-50A
- 2. BIKE LANE PER COS STD PLAN G-50A
- 3. DOUBLE YELLOW CENTER LINE PER COS STD PLAN G-50A
- 4. STOP LINE PER COS STD PLAN G-51
- 5. LONGITUDINAL CROSSWALK PER COS STD PLAN G-51
- 6. INSTALL R4-7 SIGN (KEEP RIGHT), 24" x 30"
- 7. INSTALL R5-1 SIGN (DO NOT ENTER), 30" x 30"
- 8. INSTALL R1-1 SIGN (STOP), 30" x 30"
- 9. INSTALL R5-1A SIGN (WRONG WAY), $36" \times 24"$
- 10. FLEXIBLE GUIDE POST, SURFACE MOUNT, SPACED 2' ON CENTER

LEGEND

BICYCLE PAINT

BICYCLE CROSSING

DETECTABLE WARNING SURFACE





CH-04 30 OF 174

BRIDGE

PLAN NO.

POST S(02)3

18-25-03

PROJECT NAME:

SEGMENT LIMITS:

POST STREET BRIDGE

TYPE OF IMPROVEMENT: PROJECT NO. CHANNELIZATION AND SIGNING PLAN

www.kpff.com

PROJECT LIMITS: Spokane Falls Blvd to W Summit Pkwy, Post St to Monroe St

REVISIONS NAVD88 = (OLD CBM ELEV.) - (13.13) AS OF JANUARY, 2000 USE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD88) BENCH MARK LOCATION: INSERT CBM LOCATION HERE NAVD88 ELEV.: INSERT ELEV. INSERT ADDITIONAL CBM INFO HERE 0 10 20 CBM NO.: INSERT CBM# INSERT CBM CURB LOCATION INFO HERE (IE: 12' NNCL) HORIZONTAL SCALE (22 x 34) PLAN & PROFILE 1"= 20' SCALE IN FEET NAVD88 DATUM VERTICAL SCALE (22 x 34)

SPOKANI STANDARDS ADOPTED FEB, 2007 1/31/2020

CURRENT C.O.S. DESIGN

TAJ

APPROVED: LAW

DRAWN:

CITY OF SPOKANE, WASHINGTON DEPARTMENT OF ENGINEERING SERVICES 808 WEST SPOKANE FALLS BLVD. SPOKANE, WASHINGTON 99201-3343 (509) 625-6700

