

TABLE OF CONTENTS

CITY OF SPOKANE STANDARD PLANS – SECTION J

B-101B = Revised Standard Plan
 ***W-108A = New Standard Plan
 #A-1 = Renumbered Standard Plan

[Back to Main TOC](#)

<u>Plan No.</u>	<u>Plan Title</u>	<u>Current Plan Date</u>
J-100	Traffic Symbols	11/18
J-100A	Basic 8 Phase Intersection Phasing & Equipment Layout	2/15
J-100B	Signal Head & Pedestrian Display Wiring	11/18
J-101	Signal Mountings, Post Top – Types A1, A2, F1, F2	4/04
J-101B	Signal Mountings, Post Top – Types A(3)2-F2, A(3)1-F2, A(3)1-F1, A(3)2-F1	4/15
J-101C	Signal Mountings, Post Top – Types A(5)1-A(3)1-F2, A(5)1-F2, A(5)1-A(3)1-F1, A(5)1-F1, A(3)1-A(5)1-F1	4/04
J-101D	Signal Mountings, Post Top – Types A(4)1-A(3)1-F2, A(4)1-F2, A(4)1-A(3)1-F1, A(4)1-F1	4/04
J-102	Bracket Signal Mountings – Types B(3)2-B(3)1 & P2-P1	4/15
J-102A	Bracket Signal Mountings – Types B(4,3)2	4/15
J-102B	Bracket Signal Mountings – Types B(5)1-B(3)1 & B(5)1	4/15
J-103A	Signal Mount, Mast Arm – Type D(3)	11/18
J-103B	Signal Mount, Mast Arm – Type D(4)	11/18
J-103C	Signal Mount, Mast Arm – Type D(5)	11/18
J-103D	Signal Mount, Mast Arm – Type D(3B)	2/21
J-104	Signal Pole and Foundation – Type 1	10/20
J-105	Signal Pole / Luminaire Mast Arm and Foundation – Type 4	2/21
J-105A	Signal Pole / Single Mast Arm and Foundation – Type 2	10/20
J-105B	Signal Pole / Single Mast Arm / Luminaire Arm & Foundation – Type 3	2/21
J-105C	Luminaire Pole & Foundation	2/21
J-105D	Pedestrian Hybrid Beacon Single Mast Arm / Luminaire Arm & Foundation – Type 3	2/21
J-105E	Terminal Cabinet	11/18
J-106	Foundation Concrete Controller Base	11/18
J-106A	Anchor Bolt Location Type ‘M’ Cabinet	3/99
J-106B	Anchor Bolt Location Type ‘P’ Cabinet	3/99
J-107	Vehicle Induction Loops Types 1, 2, 3, and 5	11/18
J-107A	Vehicle Induction Loop Wiring Types 1, 2, 3, and 5	11/18
J-107B	Loop Lead-In Splicing Re-Enterable Closure	3/99
J-107C	Microloop Probe Detector Loop Type 4	4/15
J-107D	Vehicle Induction Loop Labeling	3/15
J-108	Pedestrian Push Button Pole, Foundation, APS, & Silent Push-Button	9/19
J-109	Typical Cabinet Cable Routing and Cable Ties	11/18
J-110	Aerial Electrical Service	4/21
J-111	Illumination / Machine Vision Diagram – Typical	4/04
J-111A	Grounding Wire Diagram – Typical	1/08
J-111B	Illumination Diagram – Typical	4/04

TABLE OF CONTENTS



CITY OF SPOKANE STANDARD PLANS – SECTION J continued

B-101B = Revised Standard Plan
 ***W-108A = New Standard Plan
 #A-1 = Renumbered Standard Plan


Plan No.	Plan Title	Current Plan Date
J-112	<u>Junction Box Details (3 Sheets)</u>	8/19
J-112A	<u>Pull Box Installation</u>	3/15
J-112B	<u>Cable Vault Installation</u>	3/15
J-112C	<u>Cable Racking for Pull Box & Cable Vault Installation</u>	1/12
J-112D	<u>Maxcell Anchored In Pull Box or Cable Vault</u>	11/18
J-112E	<u>Monument Frame and Cover – Traffic (previously H-102)</u>	3/21
J-113	<u>Down Guy</u>	5/07
J-114	<u>Sidewalk Back Guy</u>	5/07
J-115	<u>Aerial Splice Closure</u>	5/07
J-116	<u>Corner Deadend</u>	5/07
J-117	<u>Deadend and Underground Entrance</u>	5/07
J-118	<u>Suspension Clamp – Figure 8 System</u>	5/07
J-119	<u>Underground Electrical Service</u>	3/21
J-119A	<u>Downtown Underground Electrical Service Cabinet</u>	11/18
J-119B	<u>Downtown Typical Service Cabinet Wiring</u>	11/18
J-120	<u>Signal Pole Base Cover (If Needed)</u>	10/20
J-121	<u>Combination Pre-empt Detector & Indicator Mounting Detail</u>	11/18
J-200	<u>Decorative Street Lighting Districts</u>	11/18
J-201	<u>P1A Luminaire Pole</u>	8/19
J-202	<u>P1B Luminaire Pole</u>	8/19
J-203	<u>P2B Luminaire Pole</u>	8/19
J-204	<u>P1C Luminaire Pole</u>	8/19
J-205	<u>P2C Luminaire Pole</u>	8/19
J-206	<u>S2B Luminaire Pole</u>	8/19
J-207	<u>S2C Luminaire Pole</u>	8/19
J-208	<u>Luminaire Pole Details</u>	11/18
J-210	<u>Street Lighting Location</u>	11/18
J-211	<u>“P” Series Luminaire Foundation</u>	2/21
J-211A	<u>“P” Series Luminaire Foundation Shallow</u>	2/21
J-212	<u>“S” Series Luminaire Foundation</u>	2/21
J-212A	<u>“S” Series Luminaire Foundation Shallow</u>	2/21
J-213	<u>Decorative Tree Lighting</u>	8/19
***J-213A	<u>Irrigation to Pole for Vegetation</u>	2/21
J-300	<u>School 20 When Flashing Solar Power</u>	11/18
J-301A	<u>RRFB / Speed Sign – Arial Power</u>	11/18
J-302	<u>Rectangular Rapid – Flashing Beacon (RRFB) Solar Power</u>	11/18

TRAFFIC SYMBOLS

SYMBOL EXISTING	SYMBOL PROPOSED	DESCRIPTION	SYMBOL EXISTING	SYMBOL PROPOSED	DESCRIPTION
<u>POLES</u>			<u>DETECTORS</u>		
		SIGNAL POLE TYPE 1			DETECTOR LOOP TYPE 1
		SIGNAL POLE TYPE 2			DETECTOR LOOP TYPE 2
		SIGNAL POLE TYPE 3			DETECTOR LOOP TYPE 3
		SIGNAL POLE TYPE 4			DETECTOR LOOP TYPE 4 (MICRO-LOOPS)
		SUSPENDED SIGNALS			DETECTOR LOOP TYPE 5
		MAST ARM SIGNAL WITH GREEN LEFT TURN ARROW			RADAR VEHICLE DETECTOR
		SIGNAL BASE & STANDARD			VIDEO DETECTION CAMERA
		PEDESTRIAN PUSH BUTTON			CCTV (CLOSED CIRCUIT TELEVISION CAMERA)
		LUMINAIRE	<u>BOXES/VAULT & CONTROLLER</u>		
		FLASHING WARNING SYSTEM			JUNCTION BOX TYPE 1
<u>SIGNAL HEADS</u>					JUNCTION BOX TYPE 2
		TRAFFIC SIGNAL HEAD W/OUT BACKPLATE			JUNCTION BOX TYPE 3
		TRAFFIC SIGNAL HEAD W/ BACKPLATE			JUNCTION BOX TYPE 8
		TRAFFIC SIGNAL HEAD W/ OUT BACKPLATE AND W/ LOUVERS			TRAFFIC MONUMENT
		TRAFFIC SIGNAL HEAD W/ BACKPLATE & LOUVERS			CABLE VAULT
		PEDESTRIAN SIGNAL HEAD			PULL BOX
					TRAFFIC SIGNAL CONTROLLER CABINET
					SERVICE CABINET
					VMS CONTROL CABINET
			<u>EMERGENCY VEHICLE INDICATOR LIGHTS</u>		
					EVP GPS SENSOR
					INDICATOR LIGHTS
					EVP OPTICAL SENSOR



STANDARD PRE-EMPTION SCHEDULE	
CIRCUIT	PHASE
A	2 & 5
B	4 & 7
C	6 & 1
D	8 & 3



NOTES

- SIGNAL & WIRING PLANS SHALL BE ORIENTED IN THE NORTH DIRECTION. Ø2 SHALL CORRESPOND WITH THE NORTHBOUND TRAFFIC OR CLOSEST TRAFFIC IN THE NORTHBOUND DIRECTION.
- SHEET SCALE FOR SIGNAL & WIRING PLAN IS 1"=20'.
- LETTER LABELS FOR SIGNAL STANDARDS SHALL START WITH "A" IN THE NORTHWEST CORNER & CONTINUES IN THE CLOCKWISE DIRECTION.
- LETTER LABELS FOR PRE-EMPTIONS SHALL START WITH "A" FOR Ø2 & Ø5 & CONTINUE IN THE COUNTER-CLOCKWISE DIRECTION.
- LABELS FOR HEADS SHALL START WITH "1" WITH STANDARD "A" WITH PED. HEADS, THEN SIGNAL HEADS ON VERTICAL POLE, & CONTINUES WITH HEAD(S) ON MAST ARM CLOSEST TO POLE.

HEAD PHASING ASSIGNMENTS (TYPICAL NUMBERING)

PHASE	Ø1 SB LT TURN	Ø2 NB THRU	Ø3 EB LT TURN	Ø4 WB THRU	Ø5 NB LT TURN	Ø6 SB THRU	Ø7 WB LT TURN	Ø8 EB THRU
12" VEHICLE	—	9,11	—	4,5	—	22,23	—	16,17
12" VEHICLE LEFT TURN INDICATOR	15,24	—	10,18	—	3,12	—	6,21	—
PEDESTRIAN COUNTDOWN	—	7,13	—	2,8	—	1,20	—	14,19

APPROVED BY

ENGINEERING OPERATIONS
MANAGER
KYLE TWOHIG
K. Brown
PRINCIPAL ENGINEER, CONST. KENNETH M. BROWN, P.E.

ADOPTED: 2/2015
REVISED:
SUPERSEDES:
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: MDH



BASIC 8 PHASE INTERSECTION
PHASING & EQUIPMENT LAYOUT




ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-100A

<h2 style="margin: 0;">SIGNAL HEAD & PEDESTRIAN DISPLAY WIRING</h2>	
 <p style="margin: 0;">ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON</p>	<p style="margin: 0;">STANDARD PLAN No. J-100B</p>



<p>APPROVED BY</p> <p><i>Thomas L. Arnold</i></p> <p>DIRECTOR, ENGINEERING SERVICES TOM L. ARNOLD, P.E.</p> <p><i>K. Brown</i></p> <p>PRINCIPAL ENGINEER, DESIGN KEN M. BROWN, P.E.</p>	<p>ADOPTED: 2/86</p> <p>REVISED: 4/2004</p> <p>SUPERSEDES: 3/99</p> <p>SCALE: NTS</p> <p>DWG/REV. BY: SRM</p>	<p>SIGNAL MOUNTINGS, POST TOP</p> <p>TYPES A1, A2, F1, F2</p> <p>ENGINEERING SERVICES</p> <p>CITY OF SPOKANE, WASHINGTON</p> <p>STANDARD PLAN No. J-101</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------



APPROVED BY

ENGINEERING OPERATIONS
MANAGER

KYLE TWOHIG

PRINCIPAL ENGINEER, CONST.

KENNETH M. BROWN, P.E.

ADOPTED: 2/86

REVISED: 04/2015

SUPERSEDES: 04/2004

CHECKED BY: GTQ

SCALE: NTS


DWG/REV. BY: GOM

SIGNAL MOUNTINGS, POST TOP
TYPES A(3)2-F2 , A(3)1-F2 , A(3)1-F1 , A(3)2-F1



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON


STANDARD
PLAN No.
J-101B




A(5)1-A(3)1
F2

VERTICAL TERMINAL
COMPARTMENT

10 FT. STANDARD




A(5)1
F2



VERTICAL
TERMINAL
COMPARTMENT

10 FT.
STANDARD


A(5)1-A(3)1
F1



A(5)1
F1

VERTICAL
TERMINAL
COMPARTMENT

10 FT.
STANDARD



A(3)1-A(5)1
F1

APPROVED BY

Tom L. Arnold
DIRECTOR, ENGINEERING SERVICES TOM L. ARNOLD, P.E.

Ken M. Brown
PRINCIPAL ENGINEER, DESIGN KEN M. BROWN, P.E.

ADOPTED: 5/97

REVISED: 4/2004

SUPERSEDES: 3/99

SCALE: NTS

DWG/REV. BY: SRM




SIGNAL MOUNTINGS, POST TOP


TYPES A(5)1-A(3)1-F2, A(5)1-F2, A(5)1-A(3)1-F1,
A(5)1-F1, A(3)1-A(5)1-F1

ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON


STANDARD
PLAN No.
J-101C




A(4)1-A(3)1
F2




A(4)1
F2



A(4)1
F1



A(4)1-A(3)1
F1



APPROVED BY
Thomas L. Arnold
DIRECTOR, ENGINEERING SERVICES TOM L. ARNOLD, P.E.
Ken M. Brown
PRINCIPAL ENGINEER, DESIGN KEN M. BROWN, P.E.


ADOPTED: 4/2004
REVISED: _____
SUPERSEDES: _____
SCALE: NTS
DWG/REV. BY: SRM

SIGNAL MOUNTINGS, POST TOP
TYPES A(4)1-A(3)1-F2, A(4)1-F2,
A(4)1-A(3)1-F1, A(4)1-F1




ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-101D




B(3)2

VERTICAL TERMINAL
COMPARTMENT. MOUNT WITH
 $\frac{1}{2}$ " STAINLESS STEEL BOLTS.




B(3)1

SIGNAL MOUNT COLOR - DARK GREEN



P2

VERTICAL TERMINAL
COMPARTMENT. MOUNT WITH
 $\frac{1}{2}$ " STAINLESS STEEL BOLTS.



P1

APPROVED BY

ENGINEERING OPERATIONS
MANAGER

KYLE TWOHIG

PRINCIPAL ENGINEER, CONST.

KENNETH M. BROWN, P.E.

ADOPTED: 05/1997

REVISED: 04/2015

SUPERSEDES: 05/2007

CHECKED BY: GTO

SCALE: NTS

DWG/REV. BY: GOM


BRACKET SIGNAL MOUNTINGS
TYPES B(3)2-B(3)1 & P2-P1



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-102

SIGNAL MOUNT COLOR – DARK GREEN



B(4,3)2

APPROVED BY

Kyle Twohig
ENGINEERING DEPARTMENT
MANAGER
KYLE TWOHIG
Kenneth M. Brown
PRINCIPAL ENGINEER, CONST.
KENNETH M. BROWN, P.E.


ADOPTED: 04/2015
REVISED:
SUPERSEDES:
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: GOM

BRACKET SIGNAL MOUNTINGS
TYPE B(4,3)2



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON


STANDARD
PLAN No.
J-102A





3/4 IN. STAINLESS STEEL BUCKLE, BAND-IT C256 OR EQUAL

3/4 IN. X 0.030 IN. NON-MAGNETIC STAINLESS STEEL BANDING STRAP, BAND-IT TYPE C206 OR EQUAL



* STEEL CHANNEL IRON



DRILL HOLES(2) TO ACCEPT #12-24 BOLT(S) (BRASS)



3/16 IN.



DRILL AND TAP HOLE(S) IN SIGNAL ASSEMBLY TO ACCEPT #12-24 BOLT(S)

* STEEL CHANNEL IRON AND APPLICABLE APPURTENANCES SHALL BE SUPPLIED BY THE CONTRACTOR INSTALLING THESE TYPES OF SIGNAL MOUNTS.

SIGNAL MOUNT COLOR - DARK GREEN

APPROVED BY

ENGINEERING OPERATIONS
MANAGER

KYLE TWOHIG

PRINCIPAL ENGINEER, CONST.

KENNETH M. BROWN, P.E.

ADOPTED: 05/1997

REVISED: 04/2015

SUPERSEDES: 05/2007

CHECKED BY: GTO

SCALE: NTS


DWG/REV. BY: GOM

BRACKET SIGNAL MOUNTS
TYPES B(5)1-B(3)1 & B(5)1



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-102B



D(3)

NOTE

INSTALL 2 INCHES OF #3931 YELLOW TYPE 4 HIGH INTENSITY PRISMATIC REFLECTIVE SHEETING ON SIGNAL BACK PLATE ALONG PERIMETER.

APPROVED BY

ENGINEERING OPERATIONS MANAGER KYLE TWOHIG

CITY ENGINEER DANIEL ALBERT BULLER, P.E.


ADOPTED: 03/88
REVISED: 11/2018
SUPERSEDES: 04/2015
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: GOM/JHM

SIGNAL MOUNT, MAST ARM
TYPE D(3)



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-103A



D(4)

NOTE

INSTALL 2 INCHES OF #3931 YELLOW TYPE 4 HIGH INTENSITY PRISMATIC REFLECTIVE SHEETING ON SIGNAL BACK PLATE ALONG PERIMETER.

APPROVED BY

ENGINEERING OPERATIONS MANAGER KYLE TWOHIG

CITY ENGINEER DANIEL ALBERT BULLER, P.E.



ADOPTED: 03/88
REVISED: 11/2018
SUPERSEDES: 04/2015
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: GOM/JHM



**SIGNAL MOUNT, MAST ARM
TYPE D(4)**

**ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON**

**STANDARD
PLAN No.
J-103B**





D(5)

NOTE

INSTALL 2 INCHES OF #3931 YELLOW TYPE 4 HIGH INTENSITY PRISMATIC REFLECTIVE SHEETING ON SIGNAL BACK PLATE ALONG PERIMETER.




<p>APPROVED BY</p> <p><i>[Signature]</i> ENGINEERING OPERATIONS MANAGER KYLE TWOHIG</p> <p><i>[Signature]</i> CITY ENGINEER DANIEL ALBERT BULLER, P.E.</p>	<p>ADOPTED: 03/99</p> <p>REVISED: 11/2018</p> <p>SUPERSEDES: 04/2004</p> <p>SCALE: NTS</p> <p>DWG/REV. BY: SRM/MDH</p>	<p>SIGNAL MOUNT, MAST ARM</p> <p>TYPE D(5)</p> <p>ENGINEERING SERVICES</p> <p>CITY OF SPOKANE, WASHINGTON</p> <p>STANDARD PLAN No. J-103C</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------




D(3B)

NOTE

INSTALL 2 INCHES OF #3931 YELLOW TYPE 4 HIGH INTENSITY PRISMATIC REFLECTIVE SHEETING ON SIGNAL BACK PLATE ALONG PERIMETER.


<p>APPROVED BY</p> <p> ENGINEERING OPERATIONS MANAGER KYLE TWOHIG</p> <p> CITY ENGINEER DANIEL ALBERT BULLER, P.E.</p>		<p>ADOPTED: 11/2018</p> <p>REVISED:</p> <p>SUPERSEDES:</p> <p>CHECKED BY: GTO</p> <p>SCALE: NTS</p> <p>DWG/REV. BY: MDH</p>	<p>SIGNAL MOUNT, MAST ARM</p> <p>TYPE D(3B)</p> <p> ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON</p>	<p>STANDARD PLAN No. J-103D</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-----------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------



VERTICAL POLE BASE		
BOLT CIRCLE	BOLT SIZE	BOLT TYPE
8½ INCHES	¾ INCHES	ASTM-F1554

NOTES

1. CMP SHALL BE LEFT EMPTY & HIGH UNTIL STREET CURB IS INSTALLED.
2. CMP SHALL BE CUT OFF BELOW SIDEWALK GRADE PRIOR TO FOUNDATION POUR.
3. THE TOP 1 FT. SHALL BE POURED WITH A STRIPPABLE CARDBOARD TYPE FORM.



APPROVED BY

ENGINEERING SERVICES DIRECTOR
KYLE TWOHIG

CITY ENGINEER
DAN BULLER, P.E.


ADOPTED: _____
REVISED: 10/2020
SUPERSEDES: 01/2017
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: MDH/MLD

**SIGNAL POLE & FOUNDATION
TYPE 1**



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-104



NOTES

1. SIGNAL STANDARDS SHALL BE DESIGNED FOR 80 MPH WIND LOADING.
2. LUMINAIRE ARMS GREATER THAN 20 FEET ARE TO BE SPECIAL DESIGN STANDARDS.
3. 1 3/8 INCH HOLE UNDERNEATH MAST ARM FOR VIDEO WIRES-ACCESS TO BE DRILLED BY CONTRACTOR.
4. OPTIONAL-NEAR RIGHT OR LEFT SIDE B(3) VEHICLE HEAD FOR APPROACH TRAFFIC IN RADIUS. SIDE OF POLE, HEIGHT VEHICLE HEAD IS LOCATED & DIRECTION VEHICLE HEAD IS FACING MAY VARY DEPENDING ON SPECIFIC DESIGN NEEDS OF THE INTERSECTION.
5. INSTALLATION OF A TERMINAL CABINET WILL VARY WITH SPECIFIC DESIGN NEEDS.

APPROVED BY

ENGINEERING SERVICES DIRECTOR KYLE TWOHIG
CITY ENGINEER DAN BULLER, P.E.


ADOPTED: _____
REVISED: 02/2021
SUPERSEDES: 10/2020
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: MDH/MLD

SIGNAL POLE/LUMINAIRE MAST ARM & FOUNDATION
TYPE 4



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-105



NOTES

1. SIGNAL STANDARDS SHALL BE DESIGNED FOR 80 MPH WIND LOADING.
2. WHEN MACHINE VISION REQUIRES HIGHER ELEVATIONS, SEE TYPE 3 SIGNAL POLE/SINGLE MAST ARM & FOUNDATION. USE WITH OR WITHOUT LUMINAIRE.
3. 1 3/8 INCH HOLE ON SIDE OF MAST ARM FOR SIGNAL WIRE-ACCESS TO BE DRILLED BY CONTRACTOR.
4. 1 3/8 INCH HOLE UNDERNEATH MAST ARM FOR VIDEO WIRES-ACCESS TO BE DRILLED BY CONTRACTOR.
5. MOUNT SIGN OR SIGNAL HEAD CENTERED OVER TURN LANE.
6. MOUNT SIGNAL HEAD OVER TURN POCKET LANE LINE.
7. MOUNT SIGN CENTERED OVER CURB LINE.
8. MOUNT SIGNAL HEAD ON SKIP STRIPE WHEN USING 5 SECTION HEAD FOR LEFT TURN LANE.
9. OPTIONAL-NEAR RIGHT OR LEFT SIDE B(3) VEHICLE HEAD FOR APPROACH TRAFFIC IN RADIUS. SIDE OF POLE, HEIGHT VEHICLE HEAD IS LOCATED & DIRECTION VEHICLE HEAD IS FACING MAY VARY DEPENDING ON SPECIFIC DESIGN NEEDS OF THE INTERSECTION.
10. INSTALLATION OF A TERMINAL CABINET WILL VARY WITH SPECIFIC DESIGN NEEDS.
11. MOUNT TWO 3 SECTION SIGNAL HEADS CENTERED ON LANES WHEN USING 3 SECTION HEAD FOR LEFT TURN LANE.

APPROVED BY

ENGINEERING SERVICES DIRECTOR KYLE TWOHIG
CITY ENGINEER DAN BULLER, P.E.


ADOPTED: _____
REVISED: 10/2020
SUPERSEDES: 01/2017
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: MDH/MLD




SIGNAL POLE/SINGLE MAST ARM AND FOUNDATION TYPE 2



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-105A






ITEM	MAST ARM LENGTHS	VERTICAL POLE BASE		
		BOLT CIRCLE	BOLT SIZE	BOLT TYPE
M	TO 30 FT	17.5 IN	1.5 IN	ASTM-F1554
H	> M TO 60 FT	22 IN	1.75 IN	ASTM-A449
X	> H TO ? FT	?	2 IN	ASTM-A449
SD	SD > X	SPECIAL DESIGN (SD)		

NOTES


1. SIGNAL STANDARDS SHALL BE DESIGNED FOR 80 MPH WIND LOADING.
2. LUMINAIRE ARMS GREATER THAN 20 FT ARE TO BE SPECIAL DESIGN STANDARDS.
3. 1 3/8 IN HOLE ON SIDE OF MAST ARM OR SIGNAL STANDARD FOR SIGNAL WIRES. ACCESS TO BE DRILLED BY CONTRACTOR.
4. SIGN CODE DESIGNATED BY CITY FORCES. SIGN SHALL NOT EXCEED 1,200 SQ IN.
5. INSTALLATION OF A TERMINAL CABINET WILL VARY WITH SPECIFIC DESIGN NEEDS.



FOUNDATION DETAIL

FOUNDATION		
MAST ARM LENGTH (FT.)	A DIA.	B LENGTH
≤ 30	3 FT.	5 FT.
35, 40, 45	4 FT.	7 FT.
50, 55	4 FT.	9 FT.
≥ 60	4 FT.	12 FT.

CMP:
SEE NOTES
ON STANDARD
PLAN J-104



APPROVED BY

ENGINEERING SERVICES DIRECTOR
KYLE TWOHIG
CITY ENGINEER
DAN BULLER, P.E.

ADOPTED: _____
REVISED: 02/2021
SUPERSEDES: 11/2020
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: MDH

**PEDESTRIAN HYBRID BEACON SINGLE
MAST ARM/LUMINAIRE ARM AND FOUNDATION
TYPE 3**




ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-105D

TERMINAL CABINET NOTES

1. COMPLETELY FABRICATED FROM .125" THICK TYPE 5052-H32 VINYL COATED, MILL FINISHED ALUMINUM UTILIZING CONTINUOUS WELDED CONSTRUCTION.
2. NORMAL DIMENSIONS OF 16" (407mm) HEIGHT X 12" (305mm) WIDTH X 8" (203mm) DEPTH.
3. HEAVY GAGE STAINLESS STEEL PIANO HINGE.
4. MEET NEMA 3R RATING AND HAS A DOUBLE FLANGED DOOR.
5. INCLUDES A DRIP SHIELD.
6. (2-4) 12 POSITION 600V TERMINAL BLOCKS (MARATHON 1512DJ).
7. MARKER STRIPS PER FIELD REQUIREMENTS.
8. MAIN DOOR LOCK IS BEST CX SERIES GREEN CORE LOCK WITH A LATCH TYPE LOCKING BOLT.
9. CLOSED CELL NEOPRENE DOOR GASKET USED.
10. FABRICATED IN THE USA.



20 CONDUCTOR CABLE CONFIGURATION

NORTH/SOUTH PHASE 2 & 6-SOLIDS

- RED-RED BALL
- AMBER-AMBER BALL
- GREEN-GREEN BALL
- BLUE-WALK
- BLACK-DON'T WALK
- BLUE W/ WHITE-PED CALL
- WHITE W/ BLACK-PED COMMON

EAST/WEST PHASE 4 & 8-STRIPES

- RED W/ BLACK-RED BALL
- AMBER W/ BLACK-AMBER BALL
- GREEN W/ BLACK-GREEN BALL
- BLUE W/ BLACK-WALK
- BLACK W/ WHITE-DON'T WALK
- BLACK W/ RED-PED CALL
- WHITE W/ BLACK-PED COMMON

FLASHING YELLOW ARROW PHASE 1,3,5,7

- GREEN W/ WHITE-GREEN ARROW LEFT TURN
- RED W/ WHITE-RED ARROW
- AMBER W/ RED-AMBER ARROW
- BLUE W/ RED FLASHING-YELLOW ARROW
- WHITE-NEUTRAL

16 CONDUCTOR CABLE CONFIGURATION

NORTH/SOUTH PHASE 2 & 6-SOLIDS

- RED-RED BALL
- AMBER-AMBER BALL
- GREEN-GREEN BALL
- BLUE-WALK
- BLACK-DON'T WALK
- BLUE W/ WHITE-PED CALL
- WHITE-PED COMMON

EAST/WEST PHASE 4 & 8-STRIPES

- RED W/ BLACK-RED BALL
- AMBER W/ BLACK-AMBER BALL
- GREEN W/ BLACK-GREEN BALL
- BLUE W/ BLACK-WALK
- BLACK W/ WHITE-DON'T WALK
- BLACK W/ RED-PED CALL
- WHITE-PED COMMON

PHASE 1,3,5,7

- GREEN W/ WHITE-GREEN ARROW LEFT TURN
- RED W/ WHITE-RED ARROW
- WHITE W/ BLACK-YELLOW ARROW
- WHITE-NEUTRAL

① 6.57" (IN) x 15.75" (IN) GAL. STEEL CHANNEL

② TWO EACH:
• 1/2" (IN) - 13 NC x 2 1/2" (IN)
S.S. HEX HEAD BOLT
• LOCK WASHERS (DRILL AND
TAP POLE TO ACCEPT)

③ WIREWAY (SEE DETAIL THIS SHEET)

④ METAL POLE

⑤ CABINET

⑥ END BUSHING


⑦ SEALING LOCKNUT

⑧ CABINET WALL DRILLED 1/8" (IN)
OVERSIZE OF NIPPLE


⑨ CHANNEL DRILLED 1/8" (IN) OVERSIZE OF NIPPLE

⑩ 2" (IN) DIAM. x 4" (IN) NIPPLE (UNLESS OTHERWISE NOTED)

⑪ POLE WALL DRILLED SO BUSHING WILL PASS THROUGH ~ HOLE SIZE TO BE A
MAXIMUM OF 1/8" (IN) LARGER DIAMETER THAN THE CONDUIT NIPPLE END
BUSHING ~ INSTALL NIPPLE IN POLE WITH BUSHING INSTALLED



WIREWAY DETAIL
ISOMETRIC VIEW



SECTION A
CABINET MOUNTING DETAIL
ELEVATION VIEW

APPROVED BY

ENGINEERING OPERATIONS MANAGER KYLE TWOHIG
CITY ENGINEER DANIEL ALBERT BULLER, P.E.

ADOPTED: 11/2018

REVISED:

SUPERSEDES:

CHECKED BY: GTO


SCALE: NTS

DWG/REV. BY: MDH

TERMINAL CABINET

ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-105E



BASE TYPE	X	Y	Z
TYPE 4 BASE	28 IN.	22 IN.	22 IN.
TYPE M BASE	35 IN.	21 IN.	22 IN.
TYPE P BASE	48 IN.	30 IN.	18 IN.

FIELD ADJUST BACK OF FORM FOR INSTALLATIONS WHERE ROW IS AN ISSUE

ONE OF TWO 8 FT. GROUNDING RODS. SEE STANDARD PLAN J-110, J-111A, & J-119

APPROVED BY

 ENGINEERING OPERATIONS MANAGER KYLE TWOHIG

 CITY ENGINEER DANIEL ALBERT BULLER, P.E.


ADOPTED: 01/2012
 REVISED: 11/2018
 SUPERSEDES: 01/2012
 CHECKED BY: GTO
 SCALE: NTS
 DWG/REV. BY: JHM/MDH




FOUNDATION CONCRETE CONTROLLER BASE

ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON


STANDARD
PLAN No.
J-106




<p>APPROVED BY</p> <p><i>Katy D. Allen</i></p> <p>DIRECTOR, ENGINEERING SERVICES KATY D. ALLEN P.E.</p> <p><i>Donald A. Ramsey</i></p> <p>CITY TRAFFIC ENGINEER DONALD A. RAMSEY P.E.</p>	<p>SCALE <u>NONE</u></p> <p>ADOPTED <u>3-99</u></p> <p>REVISED _____</p> <p>SUPERSEDES _____</p>	<p>ANCHOR BOLT LOCATION</p> <p>TYPE "M" CABINET</p> <p>TRANSPORTATION DEPARTMENT</p> <p>CITY OF SPOKANE, WASHINGTON</p>	<p>STANDARD</p> <p>PLAN No.</p> <p>J-106a</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------




<p>APPROVED BY</p> <p><i>Katy D. Allen</i></p> <p>DIRECTOR ENGINEERING SERVICES KATY D. ALLEN P.E.</p> <p><i>Donald A. Ramsey</i></p> <p>CITY TRAFFIC ENGINEER DONALD A. RAMSEY P.E.</p>	<p>SCALE <u>NONE</u></p> <p>ADOPTED <u>3-99</u></p> <p>REVISED _____</p> <p>SUPERSEDES _____</p>	<p>ANCHOR BOLT LOCATION</p> <p>TYPE "P" CABINET</p> <p>TRANSPORTATION DEPARTMENT</p> <p>CITY OF SPOKANE, WASHINGTON</p>	<p>STANDARD</p> <p>PLAN No.</p> <p>J-106b</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------




SECTION AA SECTION BB
EXISTING PAVEMENT




SECTION AA SECTION BB
NEW PAVEMENT OR RESURFACING




TYPE 1 DETECTOR LOOP




TYPE 2 DETECTOR LOOP



TYPE 5 BICYCLE DETECTOR LOOP



TYPE 3 DETECTOR LOOP



CRUSHED SURFACING INSTALLATION

APPROVED BY

ENGINEERING OPERATIONS MANAGER KYLE TWOHIG

CITY ENGINEER DANIEL ALBERT BULLER, P.E.


ADOPTED: 02/1986
REVISED: 11/2018
SUPERSEDES: 04/2015
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: GOM/MDH




**VEHICLE INDUCTION LOOPS
TYPES 1, 2, 3 AND 5**

ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON


STANDARD
PLAN No.
J-107





6 FT. SQUARE



6 FT. ROUND



ADDITIONAL TURNS MAY BE REQUIRED FOR LOOPS INSTALLED UNDER CONCRETE INTERSECTION OR LOOPS INSTALLED MORE THAN 350 FT. FROM THE CONTROLLER



APPROVED BY

 ENGINEERING OPERATIONS MANAGER KYLE TWOHIG

 CITY ENGINEER DANIEL ALBERT BULLER, P.E.

ADOPTED: 01/2012
 REVISED: 11/2018
 SUPERSEDES: 04/2015
 CHECKED BY: GTO
 SCALE: NTS
 DWG/REV. BY: GOM/MDH


**VEHICLE INDUCTION LOOP WIRING
 TYPES 1, 2, 3 AND 5**




ENGINEERING SERVICES
 CITY OF SPOKANE, WASHINGTON

STANDARD
 PLAN No.
J-107A



RIGID BODY, RE-ENTERABLE SPLICE CLOSURE
FACTORY FILLED WITH ENCAPSULENT.



<p>APPROVED BY</p> <p><i>Katy D. Allen</i> DIRECTOR, ENGINEERING SERVICES KATY D. ALLEN P.E.</p> <p><i>Donald A. Ramsey</i> CITY TRAFFIC ENGINEER DONALD A. RAMSEY P.E.</p>	<p>SCALE <u>NONE</u></p> <p>ADOPTED <u>2-86</u></p> <p>REVISED <u>3-99</u></p> <p>SUPERSEDES <u>1-88</u></p>	<p>LOOP LEAD-IN SPLICING RE-ENTERABLE CLOSURE</p> <p> TRANSPORTATION DEPARTMENT CITY OF SPOKANE, WASHINGTON</p>	<p>STANDARD PLAN No. J-107b</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------

NOTE:


PROBE SHALL
BE VERTICAL



SECTION A-A


TYPICAL MICROLOOP
BURIAL INSTALLATION

TYPICAL
SAWCUTS



SECTION A-A

NEW PAVEMENT
OR
RESURFACING



TYPICAL MICROLOOP
INSTALLATION

THE INFORMATION PROVIDED HEREON IS TYPICAL FOR STANDARD SITUATIONS. FOR NON-STANDARD DESIGN SITUATIONS, THE ENGINEER OF RECORD SHALL DETERMINE AN APPROPRIATE DESIGN BASED UPON THE INTENT AS PROVIDED HEREON AND SUBMIT FOR REVIEW AND APPROVAL BY THE CITY TRAFFIC ENGINEER OR DESIGNATED REPRESENTATIVE. FOR NON-STANDARD FIELD SITUATIONS, THE CONTRACTOR SHALL DETERMINE AN APPROPRIATE APPLICATION BASED UPON THE INTENT, AS PROVIDED HEREON AND CONFIRM SUCH WITH THE CITY TRAFFIC ENGINEER OR DESIGNATED REPRESENTATIVE BEFORE PERMANENT IMPLEMENTATION.

APPROVED BY

ENGINEERING OPERATIONS
MANAGER
KYLE TWOHIG
PRINCIPAL ENGINEER, CONST.
KENNETH M. BROWN, P.E.


ADOPTED: 05/1989
REVISED: 04/2015
SUPERSEDES: 04/1999
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: GOM

MICROLOOP PROBE
DETECTOR LOOP TYPE 4



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-107C





DETECTION LOOP, COUNT LOOP AND BICYCLE LOOP LAYOUT AND LABELING


NOTES

1. PREFORMED LOOPS SHALL BE INSTALLED IN THE CRUSHED SURFACING WITH 3 INCHES OF COVER.
2. PREFORMED LOOPS SHALL BE LABELED ACCORDING TO THE LANE POSITION ON THE STREET SIDE OF SPLICE AND ACCORDING TO THE CABLE LABELING ON THE CONTROLLER SIDE OF THE SPLICE.
3. LOOP LEAD-INS SHALL BE LABELED ACCORDING TO THIS PLAN IN THE JUNCTION BOX ADJACENT TO THE CURB & IN THE TRAFFIC ISLAND.
4. LOOP CLOSEST TO STOP BAR, IN BIKE LANE, CURB LANE AND LEFT TURN LANE EACH HAVE A HOME RUN CABLE TO CONTROLLER CABINET. IF NO LEFT TURN LANE, THEN THE LANE THE VEHICLE WILL TURN LEFT FROM.
5. CABLE LABELING FOR LOOPS SPLICED IN SERIES UTILIZE THE LOWEST LOOP NUMBER.

APPROVED BY ENGINEERING OPERATIONS MANAGER KYLE TWOHIG		ADOPTED: 3/2015 REVISED: SUPERSEDES: CHECKED BY: GTO SCALE: NTS DWG/REV. BY: MDH		VEHICLE INDUCTION LOOP LABELING ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON		STANDARD PLAN No. J-107D
PRINCIPAL ENGINEER, CONST. KENNETH M. BROWN, P.E.						



<p>APPROVED BY</p>  <p>ENGINEERING SERVICES DIRECTOR KYLE TWOHIG</p> <p>CITY ENGINEER DAN BULLER, P.E.</p>	<p>ADOPTED: _____</p> <p>REVISED: 08/2019</p> <p>SUPERSEDES: 11/2018</p> <p>SCALE: _____ NTS</p> <p>DWG./REV BY: MDH/MLD</p>	<p>PEDESTRIAN PUSH BUTTON</p> <p>POLE, FOUNDATION, APS & SILENT PUSH-BUTTON</p> <p>ENGINEERING SERVICES</p> <p>CITY OF SPOKANE, WASHINGTON</p> <p>STANDARD PLAN No. J-108</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------






NOTES


CABLES AND CONDUCTORS WITHIN THE CABINET SHALL BE ROUTED AND BUNDLED TOGETHER IN SUCH A MANNER AS TO PRESENT A NEAT APPEARANCE. SELF-CLINCHING NYLON CABLE TIES SHALL BE USED TO SECURELY BUNDLE TOGETHER CABLES AND CONDUCTORS. CABLE TIES SHALL BE SPACED NOT MORE THAN 12-INCHES APART NOR CLOSER THAN 6-INCHES, UNLESS BREAKOUTS OR ROUTING DICTATES.


CABLES AND CONDUCTORS FOR THE TRAFFIC SIGNAL CIRCUITS, LOOP DETECTORS AND TELEMTRY CIRCUITS SHALL BE ROUTED TO THE FRONT OF THE CABINET, THEN CLOCKWISE AROUND THE LEFT SIDE TO BENEATH THE APPROPRIATE TERMINATION POINT. THE AC SERVICE AND THE LUMINAIRE WIRING SHALL BE ROUTED TO THE FRONT OF THE CABINET, THEN COUNTER-CLOCKWISE TO THE RIGHT SIDE OF THE CABINET.

TRAFFIC SIGNAL CABLES AND CONDUCTORS JACKET IS TO BE STRIPPED TO WITHIN 2-INCHES OF BELL END.


<p>APPROVED BY</p>  <p>ENGINEERING OPERATIONS MANAGER KYLE TWOHIG</p>  <p>CITY ENGINEER DANIEL ALBERT BULLER, P.E.</p>	<p>ADOPTED: 02/1986 REVISD: 11/2018 SUPERSEDES: 03/1999 CHECKED BY: GTO SCALE: NTS DWG/REV. BY: MDH</p>	<p>TYPICAL CABINET CABLE ROUTING AND CABLE TIES</p>	
		<p>ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON</p>	<p>STANDARD PLAN No. J-109</p>



<p>APPROVED BY</p>  <p>ENGINEERING SERVICES DIRECTOR</p> <p>KYLE TWOHIG</p> <p>CITY ENGINEER</p> <p>DAN BULLER, P.E.</p>	<p>ADOPTED: _____</p> <p>REVISED: 04/2021</p> <p>SUPERSEDES: 01/2012</p> <p>CHECKED BY: GTO</p> <p>SCALE: NTS</p> <p>REVISED BY: MDH</p>	<p>AERIAL ELECTRICAL SERVICE</p> <p>ENGINEERING SERVICES</p> <p>CITY OF SPOKANE, WASHINGTON</p> <p>STANDARD PLAN No. J-110</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------



APPROVED BY DIRECTOR, ENGINEERING SERVICES TOM L. ARNOLD, P.E.		ADOPTED: 4/99 REVISED: 4/2004 SUPERSEDES:		ILLUMINATION/MACHINE VISION DIAGRAM TYPICAL	
 PRINCIPAL ENGINEER, DESIGN KEN M. BROWN, P.E.		SCALE: NTS DWG/REV. BY: SRM		 ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON	
				STANDARD PLAN No. J-111	



APPROVED BY

Eldon Brown

ACTING DIRECTOR,
ENGINEERING SERVICES

ELDON W. BROWN, P.E.

Gary S. Nelson

PRINCIPAL ENGINEER, DESIGN

GARY S. NELSON, P.E.

ADOPTED: 04/1999

REVISED: 01/2008

SUPERSEDES: 04/2004

CHECKED BY: JAG

SCALE: NTS


DWG/REV. BY: SRM/CVH




GROUNDING WIRE DIAGRAM
TYPICAL




ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-111A



APPROVED BY  DIRECTOR, ENGINEERING SERVICES TOM L. ARNOLD, P.E.		ADOPTED: 4/99 REVISED: 4/2004 SUPERSEDES: _____ SCALE: NTS DWG/REV. BY: SRM		ILLUMINATION DIAGRAM TYPICAL	
 PRINCIPAL ENGINEER, DESIGN KEN M. BROWN, P.E.				ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON	
				STANDARD PLAN No. J-111B	



APPROVED BY

ENGINEERING SERVICES DIRECTOR
KYLE TWOHIG
CITY ENGINEER
DAN BULLER, P.E.



ADOPTED: _____
REVISED: 08/2019
SUPERSEDES: 11/2018
CHECKED BY: GTO
SCALE: NTS
DWG./REV. BY: MDH

JUNCTION BOX DETAILS

SHEET 1 OF 3

ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-112



NOTES:

1. JUNCTION BOXES TYPE 7 AND TYPE 8 ARE IDENTICAL EXCEPT FOR THE ADDITION OF LOCKING BOLTS ON THE TYPE 8.
2. ALL BOX DIMENSIONS ARE APPROXIMATE. EXACT CONFIGURATIONS VARY AMONG MANUFACTURERS
3. MINIMUM LID THICKNESS SHOWN. JUNCTION BOXES INSTALLED IN SIDEWALKS, WALKWAYS, AND SHARED-USE PATHS SHALL HAVE A SKID RESISTANT COATING ON THE LID AND LID COVER PLATE, AND SHALL BE INSTALLED WITH THE SURFACE FLUSH WITH AND MATCHED TO THE GRADE OF THE SIDEWALK, WALKWAY, OR SHARED-USE PATH.
4. LID SUPPORT MEMBERS SHALL BE 3/16" MIN. THICK STEEL C, L, OR T SHAPE, WELDED TO THE FRAME. EXACT CONFIGURATIONS VARY AMONG MANUFACTURERS.
5. A 1/4-20NC X 3/4" S.S GROUND STUD SHALL BE WELDED TO THE BOTTOM OF EACH LID; INCLUDE S.S NUT AND FLAT WASHER.
6. THE HINGES SHALL ALLOW THE LIDS TO OPEN 180°.

7. BOLTS AND NUTS SHALL BE LIBERALLY COATED WITH ANIT-SEIZE COMPOUND.
8. CONNECT A BONDING JUMPER TO STEEL CONDUIT BUSHING FOR GRS CONDUIT; CONNECT TO EQUIPMENT GROUNDING CONDUCTOR FOR PVC CONDUIT. AS AN ALTERNATIVE TO THE GROUND STUD CONNECTION, THE BONDING JUMPER SHALL BE ATTACHED TO THE FRONT FACE OF THE HINGE POCKET WITH A 5/16-20NC X 3/4" S.S. BOLT, NUT, AND FLAT WASHER. BONDING JUMPER SHALL BE #8 MIN. X 4' OF TINNED BRAIDED COPPER.
9. THE SYSTEM IDENTIFICATION LETTERS SHALL BE 1/8" LINE THICKNESS FORMED BY ENGRAVING, STAMPING, OR WITH A S.S. WELD BEAD. GRIND OFF DIAMOND PATTERN BEFORE FORMING LETTERS. SEE SYSTEM IDENTIFICATION DETAIL.
10. SEE THE STANDARD SPECIFICATIONS FOR ALTERNATIVE REINFORCEMENT AND CLASS OF CONCRETE.

APPROVED BY

ENGINEERING SERVICES DIRECTOR KYLE TWOHIG

CITY ENGINEER DAN BULLER, P.E.

ADOPTED: _____

REVISED: 08/2019

SUPERSEDES: 02/2015

CHECKED BY: GTO

SCALE: NTS

REVISED BY: MDH/MLD

JUNCTION BOX DETAILS







TYPE 8

SHEET 2 OF 3

ENGINEERING SERVICES

CITY OF SPOKANE, WASHINGTON

STANDARD PLAN No. J-112



APPROVED BY

ENGINEERING SERVICES DIRECTOR
KYLE TWOHIG
CITY ENGINEER
DAN GULLER, P.E.

ADOPTED: _____
REVISED: 08/2019
SUPERSEDES: 08/2019
CHECKED BY: GTO
SCALE: NTS
REVISED BY: MDH/MLD




**JUNCTION BOX DETAILS
TYPE 7
SHEET 3 OF 3**

ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON


STANDARD
PLAN No.
J-112

See City Standard Plan J-112 for Legend Detail




PULL BOX PLAN VIEW


MODIFIED U.S. WEST FRAME & COVER 30" DIA. CLEAR OPENING



Note: The Manhole Ring & Cover, and Lid Must be Road Rated. Handles on Lids Not Allowed.




MANHOLE COVER PLAN/PROFILE DETAIL




COVER PLATE & FRAME

NOTES

1. Unistrut/ "C" Channel's to Accept Industry Standard Racking and Hardware Appurtenances.
2. Rack Cable Per J-112C.
3. When installed in a planting strip the lid shall be even with top of curb.
4. When manhole with frame & cover is installed in a planting strip, install concrete flush with lid & curb, at least 3' wide all around lid perimeter.



SECTION AA



END VIEW

General Drawing Notes:

Dimensions Shown Are Desired but Can Be Adjusted to Accommodate Construction of Box. "+/-" is 4" - 6". "As Required" Note Indicates Dimensions Are Dependent Upon Design of Pull Box for Traffic Designs.

APPROVED BY

ENGINEERING OPERATIONS
MANAGER

KYLE TWOHIG

PRINCIPAL ENGINEER, CONST.

KENNETH M. BROWN, P.E.

ADOPTED: 05/2007
REVISED: 03/2015
SUPERSEDES: 01/2012
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: MDH




PULL BOX
INSTALLATION

ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON


STANDARD
PLAN No.
J-112A

STANDARD
PLAN No.
J-112B




INTERNAL OBLIQUE VIEW

COIL THE CABLE BY USING A "FIGURE 8"
FOLDED IN THE MIDDLE TO FORM A LOOP




INTERNAL OBLIQUE VIEW



PIPE HANGER DETAIL

FABRICATE IF NOT AVAILABLE COMMERCIALY

PULL BOX DETAILS



PIPE HANGER DETAIL

FABRICATE IF NOT AVAILABLE COMMERCIALY

CABLE VAULT DETAILS

APPROVED BY

ENGINEERING OPERATIONS MANAGER KYLE TWOHIG
CITY ENGINEER DANIEL ALBERT BULLER, P.E.


ADOPTED: 01/2012
REVISED: 11/2018
SUPERSEDES: 01/2012
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: MDH



CABLE RACKING FOR
PULL BOX & CABLE VAULT
INSTALLATION

ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON



STANDARD
PLAN No.
J-112C



**MULE TAPE AT TOP
OF MAXCELL AND
CONDUIT BELL**
NTS

MULE TAPE TIES


1. DRILL A 3/8" to 1/2" DIA. HOLE IN TOP OF BELL.
2. LOOP APPROX. 3-4 FT. MULE TAPE THROUGH 1/2" HORIZONTAL SLIT MADE IN TOP OF MAXCELL. TIE A KNOT ABOVE MAXCELL INSIDE CONDUIT.
3. FEED BOTH ENDS OF MULE TAPE UP THROUGH HOLE IN BELL AND WRAP AROUND OUTSIDE OF CONDUIT BELL 2 TIMES AND SECURE WITH A KNOT ON TOP.




CABLE VAULT OR PULL BOX

APPROVED BY ENGINEERING OPERATIONS MANAGER KYLE TWOHIG		ADOPTED: 11/2018 REVISED: SUPERSEDES: CHECKED BY: GTO SCALE: NTS DWG/REV. BY: JHM		MAXCELL ANCHORED IN PULL BOX OR CABLE VAULT	
 CITY ENGINEER DANIEL ALBERT BULLER, P.E.				ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON	
				STANDARD PLAN No. J-112D	

CASE: 60#
COVER 19#
TOTAL = 79#



SECTION OF
RAISED LETTER



ENGINEERING SERVICES DIRECTOR

KYLE TWOHIG

CITY ENGINEER

DAN BULLER, P.E.


ADOPTED: _____
 REVISED: 03/2021
 SUPERSEDES: 05/2007
 CHECKED BY: _____ JAG
 SCALE: _____ NTS
 REVISED BY: _____ PCF/RLB



MONUMENT FRAME AND COVER

ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-112E



* 20 IN. HOLE SIZE REQUIRED FOR CROSS PLATE ANCHOR
8 IN. HOLE SIZE REQUIRED FOR 8-WAY EXPANDING ANCHOR

**
PER AVISTA UTILITIES: SPEC DO-1.401
(JOINT USE GENERAL REQUIREMENTS)

THE INFORMATION PROVIDED HEREON IS TYPICAL FOR STANDARD SITUATIONS. FOR NON-STANDARD DESIGN SITUATIONS, THE ENGINEER OF RECORD SHALL DETERMINE AN APPROPRIATE DESIGN BASED UPON THE INTENT AS PROVIDED HEREON AND SUBMIT FOR REVIEW AND APPROVAL BY THE CITY TRAFFIC ENGINEER OR DESIGNATED REPRESENTATIVE. FOR NON-STANDARD FIELD SITUATIONS, THE CONTRACTOR SHALL DETERMINE AN APPROPRIATE APPLICATION BASED UPON THE INTENT, AS PROVIDED HEREON AND CONFIRM SUCH WITH THE CITY TRAFFIC ENGINEER OR DESIGNATED REPRESENTATIVE BEFORE PERMANENT IMPLEMENTATION.

APPROVED BY
[Signature]
DIRECTOR, ENGINEERING SERVICES TOM L. ARNOLD, P.E.
[Signature]
PRINCIPAL ENGINEER, DESIGN GARY S. NELSON, P.E.


ADOPTED: 01/1988
REVISED: 05/2007
SUPERSEDES: 04/1999
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: CVH



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

DOWN GUY

STANDARD
PLAN No.
J-113



* 20 IN. HOLE SIZE REQUIRED FOR CROSS PLATE ANCHOR
8 IN. HOLE SIZE REQUIRED FOR 8-WAY EXPANDING ANCHOR

** PER AVISTA UTILITIES: SPEC DO-1.401
(JOINT USE GENERAL REQUIREMENTS)

THE INFORMATION PROVIDED HEREON IS TYPICAL FOR STANDARD SITUATIONS. FOR NON-STANDARD DESIGN SITUATIONS, THE ENGINEER OF RECORD SHALL DETERMINE AN APPROPRIATE DESIGN BASED UPON THE INTENT AS PROVIDED HEREON AND SUBMIT FOR REVIEW AND APPROVAL BY THE CITY TRAFFIC ENGINEER OR DESIGNATED REPRESENTATIVE. FOR NON-STANDARD FIELD SITUATIONS, THE CONTRACTOR SHALL DETERMINE AN APPROPRIATE APPLICATION BASED UPON THE INTENT, AS PROVIDED HEREON AND CONFIRM SUCH WITH THE CITY TRAFFIC ENGINEER OR DESIGNATED REPRESENTATIVE BEFORE PERMANENT IMPLEMENTATION.

APPROVED BY
[Signature]
DIRECTOR, ENGINEERING SERVICES
TOM L. ARNOLD, P.E.


[Signature]
PRINCIPAL ENGINEER, DESIGN
GARY S. NELSON, P.E.

ADOPTED: 01/1988
REVISED: 05/2007
SUPERSEDES: 04/1999
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: CVH

SIDEWALK BACK GUY

ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-114



THE INFORMATION PROVIDED HEREON IS TYPICAL FOR STANDARD SITUATIONS. FOR NON-STANDARD DESIGN SITUATIONS, THE ENGINEER OF RECORD SHALL DETERMINE AN APPROPRIATE DESIGN BASED UPON THE INTENT AS PROVIDED HEREON AND SUBMIT FOR REVIEW AND APPROVAL BY THE CITY TRAFFIC ENGINEER OR DESIGNATED REPRESENTATIVE. FOR NON-STANDARD FIELD SITUATIONS, THE CONTRACTOR SHALL DETERMINE AN APPROPRIATE APPLICATION BASED UPON THE INTENT, AS PROVIDED HEREON AND CONFIRM SUCH WITH THE CITY TRAFFIC ENGINEER OR DESIGNATED REPRESENTATIVE BEFORE PERMANENT IMPLEMENTATION.

* SOURCE: AVISTA UTILITIES DISTRIBUTION STANDARDS DWG. DO-1.401 AND DO-1.407

APPROVED BY

 DIRECTOR, ENGINEERING SERVICES TOM L. ARNOLD, P.E.

 PRINCIPAL ENGINEER, DESIGN GARY S. NELSON, P.E.



ADOPTED: 01/1988
 REVISED: 05/2007
 SUPERSEDES: 04/1999
 CHECKED BY: GTQ
 SCALE: NTS
 DWG/REV. BY: CVH



AERIAL SPLICE CLOSURE




ENGINEERING SERVICES
 CITY OF SPOKANE, WASHINGTON


STANDARD
 PLAN No.
 J-115



THE INFORMATION PROVIDED HEREON IS TYPICAL FOR STANDARD SITUATIONS. FOR NON-STANDARD DESIGN SITUATIONS, THE ENGINEER OF RECORD SHALL DETERMINE AN APPROPRIATE DESIGN BASED UPON THE INTENT AS PROVIDED HEREON AND SUBMIT FOR REVIEW AND APPROVAL BY THE CITY TRAFFIC ENGINEER OR DESIGNATED REPRESENTATIVE. FOR NON-STANDARD FIELD SITUATIONS, THE CONTRACTOR SHALL DETERMINE AN APPROPRIATE APPLICATION BASED UPON THE INTENT, AS PROVIDED HEREON AND CONFIRM SUCH WITH THE CITY TRAFFIC ENGINEER OR DESIGNATED REPRESENTATIVE BEFORE PERMANENT IMPLEMENTATION.


* SOURCE: AVISTA UTILITIES DISTRIBUTION STANDARDS DWG. DO-1.401 AND DO-1.407

APPROVED BY  DIRECTOR, ENGINEERING SERVICES TOM L. ARNOLD, P.E.		ADOPTED: 01/1988 REVISED: 05/2007 SUPERSEDES: 04/1999 CHECKED BY: GTO SCALE: NTS DWG/REV. BY: CVH		CORNER DEAD END	
 PRINCIPAL ENGINEER, DESIGN GARY S. NELSON, P.E.				ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON	
				STANDARD PLAN No. J-116	



THE INFORMATION PROVIDED HEREON IS TYPICAL FOR STANDARD SITUATIONS. FOR NON-STANDARD DESIGN SITUATIONS, THE ENGINEER OF RECORD SHALL DETERMINE AN APPROPRIATE DESIGN BASED UPON THE INTENT AS PROVIDED HEREON AND SUBMIT FOR REVIEW AND APPROVAL BY THE CITY TRAFFIC ENGINEER OR DESIGNATED REPRESENTATIVE. FOR NON-STANDARD FIELD SITUATIONS, THE CONTRACTOR SHALL DETERMINE AN APPROPRIATE APPLICATION BASED UPON THE INTENT, AS PROVIDED HEREON AND CONFIRM SUCH WITH THE CITY TRAFFIC ENGINEER OR DESIGNATED REPRESENTATIVE BEFORE PERMANENT IMPLEMENTATION.

APPROVED BY DIRECTOR, ENGINEERING SERVICES TOM L. ARNOLD, P.E.		ADOPTED: 01/1988 REVISED: 05/2007 SUPERSEDES: 04/1999 CHECKED BY: GTO SCALE: NTS DWG/REV. BY: CVH		DEADEND & UNDERGROUND ENTRANCE	
 PRINCIPAL ENGINEER, DESIGN GARY S. NELSON, P.E.				ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON	
				STANDARD PLAN No. J-117	



*SOURCE: AVISTA UTILITIES DISTRIBUTION STANDARDS DWG. DO-1.401 & DO-1.407.


APPROVED BY
[Signature]
DIRECTOR, ENGINEERING SERVICES
TOM L. ARNOLD, P.E.
[Signature]
PRINCIPAL ENGINEER, DESIGN
GARY S. NELSON, P.E.

ADOPTED: 01/1988
REVISED: 05/2007
SUPERSEDES: 04/1999
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: CVH



SUSPENSION CLAMP
FIGURE 8 SYSTEM
ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-118



APPROVED BY

ENGINEERING SERVICES DIRECTOR
CITY ENGINEER

KYLE TWOHIG
DAN BULLER, P.E.


ADOPTED: _____
REVISED: 03/2021
SUPERSEDES: 11/2018
SCALE: NTS
DWG/REV. BY: MDH

UNDERGROUND ELECTRICAL SERVICE



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON


STANDARD
PLAN No.
J-119



NOTES


- SERVICE CABINET SHALL BE A TAMPER RESISTANT, SLIMLINE, WEATHERPROOF, PAD MOUNTED PEDESTAL WITH MAIN AND SUBFEED CIRCUIT BREAKERS AND CONTROLS AS SHOWN.
- THE SERVICE CABINET SHALL BE METERED. MAIN CIRCUIT BREAKER SHALL BE 100K AIC SERIES RATED.
- CONSTRUCTION WILL BE NEMA 3R AND 12, RAIN TIGHT, DUST TIGHT, WITH MILL FINISH.
- METAL WORK SHALL BE FABRICATED FROM; EXTERNAL-1/8" ALUMINUM SHEET STOCK AND INTERNAL-14 GA. COLD ROLLED STEEL, ELECTRICALLY WELDED AND REINFORCED WHERE REQUIRED.
- EXTERNAL CORNERS AND SEAMS SHALL BE GROUND SMOOTH.
- ALL NUTS, BOLTS, AND SCREWS WILL BE STAINLESS STEEL.
- NUTS, BOLTS AND SCREWS WILL NOT BE VISIBLE FROM OUTSIDE OF ENCLOSURE.
- HINGES SHALL BE CONTINUOUS ALUMINUM PIANO TYPE.
- ENCLOSURE WILL BE FACTORY WIRED AND CONFORM TO REQUIRED NEMA AND UL STANDARDS.
- CONTROL WIRING SHALL BE SEVEN STRAND NO. 14 TW EXCEPT FOR HINGE WIRING, WHICH SHALL BE 19 STRAND NO. 14 THHN.
- WIRING SHALL BE ARRANGED SO THAT ANY PIECE OF APPARATUS MAY BE REMOVED WITHOUT DISCONNECTING ANY WIRING EXCEPT THE LEADS TO PERMANENT CLIP SLEEVE WIRE MARKERS.
- ALL WIRING WILL BE MARKED AT BOTH ENDS BY PERMANENT WIRE MARKERS.
- A PLASTIC COVERED WIRING DIAGRAM WILL BE ATTACHED TO THE INSIDE OF THE FRONT DOOR.
- NAMEPLATES SHALL BE PROVIDED FOR EACH CONTROL COMPONENT.
- CABINET SHALL HAVE A 508 UL LABEL "INDUSTRIAL CONTROL PANEL" UL 508.
- THE SERVICE CABINET SHALL BE SIMILAR IN DESIGN TO THE TESCO CLASS 27-100 SERVICE PEDESTAL.

APPROVED BY ENGINEERING OPERATIONS MANAGER KYLE TWOHIG		ADOPTED: 11/2018 REVISED: SUPERSEDES:		DOWNTOWN UNDERGROUND ELECTRICAL SERVICE CABINET	
 CITY ENGINEER DANIEL ALBERT BULLER, P.E.		CHECKED BY: ANM SCALE: NTS DWG/REV. BY: MDH		 ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON	
				STANDARD PLAN No. J-119A	





**SERVICE CABINET WIRING
WITH 208 VOLT ILLUMINATION**



<p>APPROVED BY</p> <p><i>[Signature]</i></p> <p>ENGINEERING OPERATIONS MANAGER KYLE TWOHIG</p> <p><i>[Signature]</i></p> <p>CITY ENGINEER DANIEL ALBERT BULLER, P.E.</p>	<p>ADOPTED: 11/2018</p> <p>REVISED:</p> <p>SUPERSEDES:</p> <p>CHECKED BY: ANM</p> <p>SCALE: NTS</p> <p>DWG/REV. BY: MDH</p>	<p>DOWNTOWN TYPICAL SERVICE CABINET WIRING</p> <p>ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON</p> <p>STANDARD PLAN No. J-119B</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------




TOP VIEW



SIDE VIEW



EDGE VIEW



ALTERNATE TAB

EDGE OF COVER BENT TO FORM TAB.

NOTES

1. BASE COVER SHALL BE 1/8 IN. STEEL WITH WELDED SEAMS.
2. TAB TO BE EITHER 1/8 IN STEEL WELDED TO INSIDE OF COVER OR COVER BENT TO FORM TAB.
3. COVER TO BE SUPPLIED WITH 4 EACH 5/16 IN. X 1 1/2 IN. ZINC PLATED HEX HEAD BOLTS WITH ZINC PLATED OR STAINLESS STEEL SPLIT LOCKING WASHERS.
4. COMPLETED BASE COVER SHALL BE HOT DIPPED GALVANIZED AFTER FABRICATION, IN ACCORDANCE WITH ASTM 123. NUTS AND BOLTS SHALL BE ABLE TO MATE SECURELY AFTER GALVANIZATION.
5. BASE COVERS SHALL BE INSTALLED ON ALL SIGNAL STANDARDS EXCEPT WHEN BOLT SLEEVES ARE CALLED OUT ON THE CONTRACT PLANS.

5/16 IN. CARBON STEEL NUT WELDED TO INSIDE OF TAB, CENTERED ON HOLES

APPROVED BY

ENGINEERING SERVICES DIRECTOR
KYLE TWOHIG
CITY ENGINEER
DAN BULLER, P.E.

ADOPTED: _____
REVISED: 10/2020
SUPERSEDES: 2/2015
SCALE: NTS
DWG/REV. BY: MDH

SIGNAL POLE BASE COVER



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-120

OPTICOM GPS EMERGENCY
VEHICLE PREEMPTION
RECEIVER UNIT

3/4" COMPRESSION CONNECTOR,
ZINC PLATED STEEL

3/4" DIA. EMT PIPE

UNISTRUT GALVANIZED SPACER APPROX. 1 5/8" X 2" X 5/8"
AS NEEDED TO CLEAR SIGNAL STANDARD CAP.

CAP

1/2" STAINLESS
STEEL HOSE CLAMP

SIGNAL STANDARD

30"

12"

3/4" 90° EMT
LARGE RADIUS
COMPRESSION
ELBOW

NOTES

1. DRILL AND TAP HOLE ON BACK SIDE OF SIGNAL STANDARD AWAY FROM CENTER OF INTERSECTION 12" BELOW SIGNAL STANDARD CAP. ATTACH 3/4" 90° COMPRESSION ELBOW.
2. ATTACH 30" X 3/4" DIA. PIPE VERTICALLY TO COMPRESSION ELBOW.
3. USING UNISTRUT SPACER SECURE PIPE WITH 3'-6" OF HOSE CLAMP.
4. ATTACH 3/4" COMPRESSION CONNECTOR TO TOP OF PIPE.
5. ATTACH PREEMPTION RECEIVER UNIT TO TOP OF 3/4" COMPRESSION CONNECTOR.

APPROVED BY

ENGINEERING OPERATIONS MANAGER

KYLE TWOHIG

CITY ENGINEER

DANIEL ALBERT BULLER, P.E.

ADOPTED: 01/2009
REVISED: 11/2018
SUPERSEDES: 02/2015


CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: MDH

GPS EMERGENCY VEHICLE PREEMPTION UNIT AND MOUNTING




ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-121




<p>APPROVED BY</p> <p><i>[Signature]</i></p> <p>ENGINEERING OPERATIONS MANAGER KYLE TWOHIG</p>		<p>ADOPTED: 11/2018</p> <p>REVISED:</p> <p>SUPERSEDES:</p> <p>CHECKED BY: GTO</p> <p>SCALE: NTS</p> <p>DWG/REV. BY: CMC</p>		<p>DECORATIVE STREET LIGHTING DISTRICTS</p> <p>ENGINEERING SERVICES</p> <p>CITY OF SPOKANE, WASHINGTON</p>		<p>STANDARD PLAN No. J-200</p>	
------------------------------------------------------------------------------------------------	--	-----------------------------------------------------------------------------------------------------------------------------	--	-------------------------------------------------------------------------------------------------------------------	--	--------------------------------	--



NOTES

1. SEE STD. PLAN J-200 FOR CBD LIGHTING MAP.
2. SEE STD. PLAN J-208 FOR LUMINAIRE POLE DETAILS.
3. FOR OPTIONAL IRRIGATION IN POLE, NO BARB FITTING WILL BE ALLOWED. SEE STANDARD PLAN J-211.
4. FUSE EACH LUMINAIRE IN BASE HAND HOLE WITH A 5-AMP GLR IN-LINE FUSE.
5. USE ANTI-SEIZE LUBRICANT ON ALL SCREWS AND INSERTS.


<p>APPROVED BY</p> <p><i>[Signature]</i></p> <p>ENGINEERING SERVICES DIRECTOR KYLE TWOHIG</p> <p>CITY ENGINEER DAN BULLER, P.E.</p>		<p>ADOPTED: _____</p> <p>REVISED: 08/2019</p> <p>SUPERSEDES: 11/2018</p> <p>CHECKED BY: ANM</p> <p>SCALE: NTS</p> <p>DWG/REV. BY: MDH</p>	<p>P1A LUMINAIRE POLE</p> <p>ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON</p>	<p>STANDARD PLAN No. J-201</p>
-------------------------------------------------------------------------------------------------------------------------------------	--	-------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------	-----------------------------------------------



NOTES

1. SEE STD. PLAN J-200 FOR CBD LIGHTING MAP.
2. SEE STD. PLAN J-208 FOR LUMINAIRE POLE DETAILS.
3. FOR OPTIONAL IRRIGATION IN POLE, NO BARB FITTING WILL BE ALLOWED. SEE STANDARD PLAN J-211.
4. FUSE EACH LUMINAIRE IN BASE HAND HOLE WITH A 5-AMP GLR IN-LINE FUSE.
5. USE ANTI-SEIZE LUBRICANT ON ALL SCREWS AND INSERTS.

APPROVED BY


ENGINEERING SERVICES DIRECTOR
KYLE TWOHIG
CITY ENGINEER
DAN BULLER, P.E.


ADOPTED: _____
REVISED: 08/2019
SUPERSEDES: 11/2018
CHECKED BY: ANM
SCALE: NTS
DWG/REV. BY: MDH

P1B LUMINAIRE POLE





ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON


STANDARD
PLAN No.
J-202



NOTES


1. SEE STD. PLAN J-200 FOR CBD LIGHTING MAP.
2. SEE STD. PLAN J-208 FOR LUMINAIRE POLE DETAILS.
3. FOR OPTIONAL IRRIGATION IN POLE, NO BARB FITTING WILL BE ALLOWED. SEE STANDARD PLAN J-211.
4. FUSE EACH LUMINAIRE IN BASE HAND HOLE WITH A 5-AMP GLR IN-LINE FUSE.
5. USE ANTI-SEIZE LUBRICANT ON ALL SCREWS AND INSERTS.


<p>APPROVED BY</p>  <p>ENGINEERING SERVICES DIRECTOR KYLE TWOHIG</p>  <p>CITY ENGINEER DAN BULLER, P.E.</p>	<p>ADOPTED: _____</p> <p>REVISED: 08/2019</p> <p>SUPERSEDES: 11/2018</p> <p>CHECKED BY: ANM</p> <p>SCALE: NTS</p> <p>DWG./REV. BY: MDH</p>	<p>P2B LUMINAIRE POLE</p> <p>ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON</p> <p>STANDARD PLAN No. J-203</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------



NOTES

1. SEE STD. PLAN J-200 FOR CBD LIGHTING MAP.
2. SEE STD. PLAN J-208 FOR LUMINAIRE POLE DETAILS.
3. FOR OPTIONAL IRRIGATION IN POLE, NO BARB FITTING WILL BE ALLOWED. SEE STANDARD PLAN J-211.
4. FUSE EACH LUMINAIRE IN BASE HAND HOLE WITH A 5-AMP GLR IN-LINE FUSE.
5. USE ANTI-SEIZE LUBRICANT ON ALL SCREWS AND INSERTS.

<p>APPROVED BY</p>  <p>ENGINEERING SERVICES DIRECTOR KYLE TWOHIG</p> <p>CITY ENGINEER DAN BULLER, P.E.</p>		<p>ADOPTED: _____</p> <p>REVISED: 08/2019</p> <p>SUPERSEDES: 11/2018</p> <p>CHECKED BY: ANM</p> <p>SCALE: NTS</p> <p>DWG/REV. BY: MDH</p>	<p>P1C LUMINAIRE POLE</p> <p>ENGINEERING SERVICES</p> <p>CITY OF SPOKANE, WASHINGTON</p> <p>STANDARD PLAN No. J-204</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------



NOTES

1. SEE STD. PLAN J-200 FOR CBD LIGHTING MAP.
2. SEE STD. PLAN J-208 FOR LUMINAIRE POLE DETAILS.
3. FOR OPTIONAL IRRIGATION IN POLE, NO BARB FITTING WILL BE ALLOWED. SEE STANDARD PLAN J-211.
4. FUSE EACH LUMINAIRE IN BASE HAND HOLE WITH A 5-AMP GLR IN-LINE FUSE.
5. USE ANTI-SEIZE LUBRICANT ON ALL SCREWS AND INSERTS.

<p>APPROVED BY</p> <p><i>[Signature]</i></p> <p>ENGINEERING SERVICES DIRECTOR KYLE TWOHIG</p> <p>CITY ENGINEER DAN BULLER, P.E.</p>		<p>ADOPTED: _____</p> <p>REVISED: 08/2019</p> <p>SUPERSEDES: 11/2018</p> <p>CHECKED BY: ANM</p> <p>SCALE: NTS</p> <p>DWG/REV. BY: MDH</p>	<p>P2C LUMINAIRE POLE</p> <p>ENGINEERING SERVICES</p> <p>CITY OF SPOKANE, WASHINGTON</p>	<p>STANDARD PLAN No.</p> <p>J-205</p>
-------------------------------------------------------------------------------------------------------------------------------------	--	-------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------	----------------------------------------------

1. SEE STD. PLAN J-200 FOR CBD LIGHTING MAP.
2. SEE STD. PLAN J-208 FOR LUMINAIRE POLE DETAILS.
3. FOR OPTIONAL IRRIGATION IN POLE, NO BARB FITTING WILL BE ALLOWED. SEE STANDARD PLAN J-212.
4. FUSE EACH LUMINAIRE IN BASE HAND HOLE WITH A 5-AMP GLR IN-LINE FUSE.
5. USE ANTI-SEIZE LUBRICANT ON ALL SCREWS AND INSERTS.

ENGINEERING SERVICES DIRECTOR KYLE TWOHIG


CITY ENGINEER DAN BULLER, P.E.

ADOPTED: _____
 REVISED: 08/2019
 SUPERSEDES: 11/2018
 CHECKED BY: ANM
 SCALE: NTS
 DWG/REV. BY: MDH



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-206



NOTES

1. SEE STD. PLAN J-200 FOR CBD LIGHTING MAP.
2. SEE STD. PLAN J-208 FOR LUMINAIRE POLE DETAILS.
3. FOR OPTIONAL IRRIGATION IN POLE, NO BARB FITTING WILL BE ALLOWED. SEE STANDARD PLAN J-212.
4. FUSE EACH LUMINAIRE IN BASE HAND HOLE WITH A 5-AMP GLR IN-LINE FUSE.
5. USE ANTI-SEIZE LUBRICANT ON ALL SCREWS AND INSERTS.

APPROVED BY






[Signature]
ENGINEERING SERVICES DIRECTOR
KYLE TWOHIG
CITY ENGINEER
DAN BULLER, P.E.



ADOPTED: _____
REVISED: 08/2019
SUPERSEDES: 11/2018
CHECKED BY: ANM
SCALE: NTS
DWG/REV. BY: MDH


S2C LUMINAIRE POLE

ENGINEERING SERVICES
CITY OF SPOKANE, WASHINAMN

STANDARD
PLAN No.
J-207



<p>APPROVED BY</p>  <p>ENGINEERING OPERATIONS MANAGER KYLE TWOHIG</p>  <p>CITY ENGINEER DANIEL ALBERT BULLER, P.E.</p>	<p>ADOPTED: 11/2018</p> <p>REVISED:</p> <p>SUPERSEDES:</p> <p>CHECKED BY: ANM</p> <p>SCALE: NTS</p> <p>DWG/REV. BY: MDH</p>	<p>LUMINAIRE POLE DETAILS</p> <p>ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON</p> <p>STANDARD PLAN No. J-208</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------



APPROVED BY

[Signature]

ENGINEERING OPERATIONS MANAGER KYLE TWOHIG

[Signature]

CITY ENGINEER DANIEL ALBERT BULLER, P.E.

ADOPTED: 11/2018

REVISED:

SUPERSEDES:

CHECKED BY: ANM

SCALE: NTS


DWG/REV. BY: MDH

STREET LIGHTING LOCATION



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-210




NOTES

1. GROUND POLE PER NEC.
2. NO BARBED FITTINGS ALLOWED INSIDE POLE.
3. SEE STANDARD PLAN J-213A FOR IRRIGATION DETAILS.

NTS

8-#5 VERTICAL
BARS EQUALLY
SPACED



PLAN VIEW

NTS

APPROVED BY

[Signature]
ENGINEERING SERVICES DIRECTOR KYLE TWOHIG
[Signature]
CITY ENGINEER DAN BULLER, P.E.


ADOPTED: _____
REVISED: 02/2021
SUPERSEDES: 11/2018
CHECKED BY: ANM
SCALE: NTS
DWG/REV. BY: MDH

"P" SERIES LUMINAIRE FOUNDATION



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-211



NOTES

1. WHERE SOLID BEDROCK IS ENCOUNTERED PRIOR TO REACHING 36" PILE EMBEDMENT DEPTH, PILE EMBEDMENT DEPTH CAN BE REDUCED TO 24". EMBED VERTICAL #7 REINFORCEMENT BARS 12" INTO BEDROCK W/ SIMPSON SET-XP EPOXY. GEOTECHNICAL ENGINEER TO PROVIDE SPECIAL INSPECTION TO VERIFY THAT ENCOUNTERED BEDROCK IS NOT WEATHERED OR FRACTURED PRIOR TO APPROVAL OF REDUCED PILE EMBEDMENT DEPTH.
2. GROUND POLE PER NEC.
3. NO BARBED FITTINGS ALLOWED INSIDE POLE.
4. SEE STANDARD PLAN J-213A FOR IRRIGATION DETAILS.

APPROVED BY

ENGINEERING SERVICES DIRECTOR KYLE TWOHIG

CITY ENGINEER DAN BULLER, P.E.

ADOPTED: _____

REVISED: 02/2021

SUPERSEDES: 09/2020

CHECKED BY: ANM

SCALE: NTS


DWG/REV. BY: MDH

"P" SERIES LUMINAIRE FOUNDATION SHALLOW



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-211A




"S" SERIES FOUNDATION

NTS

NOTES

1. GROUND POLE PER NEC.
2. NO BARBED FITTINGS ALLOWED INSIDE POLE.
3. SEE STANDARD PLAN J-213A FOR IRRIGATION DETAILS.



PLAN VIEW

NTS

APPROVED BY

ENGINEERING SERVICES DIRECTOR
KYLE TWOHIG
CITY ENGINEER
DAN BULLER, P.E.


ADOPTED: _____
REVISED: 02/2021
SUPERSEDES: 08/2019
CHECKED BY: ANM
SCALE: NTS
DWG/REV. BY: MDH

"S" SERIES LUMINAIRE FOUNDATION



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON


STANDARD
PLAN No.
J-212



NOTE: FOR USE ONLY WHEN SHALLOW ROCK ENCOUNTERED

"S" SERIES FOUNDATION

NTS



PLAN VIEW

NTS

NOTES

1. WHERE SOLID BEDROCK IS ENCOUNTERED PRIOR TO REACHING 48" PILE EMBEDMENT DEPTH, PILE EMBEDMENT DEPTH CAN BE REDUCED TO 36". EMBED VERTICAL #7 REINFORCEMENT BARS 12" INTO BEDROCK W/ SIMPSON SET-XP EPOXY. GEOTECHNICAL ENGINEER TO PROVIDE SPECIAL INSPECTION TO VERIFY THAT ENCOUNTERED BEDROCK IS NOT WEATHERED OR FRACTURED PRIOR TO APPROVAL OF REDUCED PILE EMBEDMENT DEPTH.
2. GROUND POLE PER NEC.
3. NO BARBED FITTINGS ALLOWED INSIDE POLE.
4. SEE STANDARD PLAN J-213A FOR IRRIGATION DETAILS.

APPROVED BY

ENGINEERING SERVICES DIRECTOR
KYLE TWOHIG
CITY ENGINEER
DAN BULLER, P.E.


ADOPTED: _____
REVISED: 02/2021
SUPERSEDES: 08/2019
CHECKED BY: ANM
SCALE: NTS
DWG/REV. BY: MDH

**"S" SERIES LUMINAIRE FOUNDATION
SHALLOW**



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-212A



APPROVED BY

[Signature]

ENGINEERING SERVICES DIRECTOR KYLE TWOHIG

CITY ENGINEER DAN BULLER, P.E.

ADOPTED: _____

REVISED: 08/2019

SUPERSEDES: 11/2018

CHECKED BY: ANM

SCALE: NTS


DWG/REV. BY: MDH

DECORATIVE TREE LIGHTING



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINAMN

STANDARD
PLAN No.
J-213



IRRIGATION TO POLE FOR HANGING VEGETATION

NTS

NOTES

1. INSTALL MANUAL VALVE IN MONUMENT FRAME & 10" DIA. COVER, SEE CITY STANDARD PLAN H-102. COVER SHALL BE MARKED "IRRIGATION".
2. INSTALL MANUAL SHUTOFF VALVE SO THAT IT CAN BE ACCESSED & OPERATED FROM ABOVE. PROVED SUPPORT AS REQ'D. FOR ON/OFF OPERATION.
3. EXTEND PVC BEYOND VALVE BODY FOR MIN. 3" EXPOSURE OF VALVE & LATERAL PIPE.
4. PROVIDE TEFLON TAPE ON ALL THREADED FITTINGS & STAINLESS STEEL CLAMPS ON ALL P.E INSERT FITTINGS.
5. LOCATE MANUAL ON/OFF VALVE ADJACENT TO LIGHT POLE.
6. NO BARBED FITTINGS ALLOWED IN POLE.

APPROVED BY

ENGINEERING SERVICES DIRECTOR
KYLE TWOHIG
CITY ENGINEER
DAN BULLER, P.E.


ADOPTED: 02/2021
REVISED:
SUPERSEDES:
CHECKED BY: ANM
SCALE: NTS
DWG/REV. BY: MDH

IRRIGATION TO POLE FOR VEGETATION



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-213A




<p>APPROVED BY</p> <p>ENGINEERING OPERATIONS MANAGER KYLE TWOHIG</p> <p>CITY ENGINEER DANIEL ALBERT BULLER, P.E.</p>	<p>ADOPTED: 11/2018</p> <p>REVISED:</p> <p>SUPERSEDES:</p> <p>CHECKED BY: GTO</p> <p>SCALE: NTS</p> <p>DWG/REV. BY: MDH</p>	<p>SCHOOL 20 WHEN FLASHING SOLAR POWER</p> <p>ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON</p> <p>STANDARD PLAN No. J-300</p>
----------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------


INSTALL AERIAL SERVICE & METER PER CITY OF SPOKANE STANDARD PLAN J-110

DESIGN CRITERIA

AASHTO 1994, 80 MPH WIND W/ 1.3 GUST,
WIRE LOAD 100' SPAN 510 LBS. MAX.,
SPAN SAG 5%



RRFB/SPEED SIGN AERIAL POWER
FRONT VIEW
NTS



RRFB & SIGNS
NTS

SEE CONTRACT PLANS FOR SINGLE SIDED OR DOUBLE SIDED SIGNS AND SINGLE SIDED OR DOUBLE SIDED LIGHT BAR INSTALLATION.

APPROVED BY

ENGINEERING OPERATIONS MANAGER KYLE TWOHIG

CITY ENGINEER DANIEL ALBERT BULLER, P.E.


ADOPTED: 11/2018
REVISED:
SUPERSEDES:
CHECKED BY: GTO
SCALE: NTS
DWG/REV. BY: MDH

RRFB/SPEED SIGN-AERIAL POWER



ENGINEERING SERVICES
CITY OF SPOKANE, WASHINGTON

STANDARD
PLAN No.
J-301A



<p>APPROVED BY</p> <p>ENGINEERING OPERATIONS MANAGER KYLE TWOHIG</p> <p>CITY ENGINEER DANIEL ALBERT BULLER, P.E.</p>	<p>ADOPTED: 11/2018</p> <p>REVISED:</p> <p>SUPERSEDES:</p> <p>CHECKED BY: GTO</p> <p>SCALE: NTS</p> <p>DWG/REV. BY: MDH</p>	<p>RECTANGULAR RAPID-FLASHING BEACON (RRFB) SOLAR POWER</p> <p>ENGINEERING SERVICES CITY OF SPOKANE, WASHINGTON</p> <p>STANDARD PLAN No. J-302</p>
----------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------