

STORAGE USE APPLICATION

In accordance with the International Fire and Spokane Municipal Codes, no permit-required activity is allowed prior to the issuance of proper permits and/or approvals by the Spokane Fire Department (SMC 17F.080.060).

44 W. Riverside Avenue
 Spokane, WA 99201-0189
 509.625.7000
 509.625.7006 Fax
 sfdservicereports@spokanefire.org
 www.spokanefire.org



Date: _____

SITE INFORMATION

BUILDING/SITE NAME:			
BUILDING/SITE ADDRESS: #	DIRECTION	STREET NAME	ZIP

BUSINESS INFORMATION

BUSINESS NAME:			
BUSINESS ADDRESS:	<i>CITY</i>	<i>STATE</i>	<i>ZIP</i>
MAIL ATTENTION TO:			
MAILING ADDRESS:	<i>CITY</i>	<i>STATE</i>	<i>ZIP</i>
(MAILING ADDRESS MUST BE INCLUDED IF DIFFERENT FROM BUSINESS ADDRESS)			
BUSINESS PHONE#:	FAX#:	E-MAIL:	
EMERGENCY PHONE #:	<i>AREA CODE</i>	<i>NUMBER</i>	

Submittal of application and payment of fees does not imply permission or permit by the Spokane Fire Department for project design or commencement of work.

PROJECT NARRATIVE: _____

<u>TYPE</u>	<u>FEE</u>	<u>Y/N</u>
(STCN) To store, handle, use or display cellulose nitrate film in a Group "A" Occupancy.....	\$ 294.00	_____
(STNP) To store or handle more than 25 pounds of cellulose nitrate plastic (pyroxylin)	\$ 294.00	_____
(STCF) To store or handle more than 100 cubic feet of combustible fibers.....	\$ 294.00	_____
(STCM) To store more than 2500 cubic feet gross of combustible materials	\$ 294.00	_____
(STHP) Use of more than 500 square feet to store high piled combustible stock.....	\$ 294.00	_____
(STLB) To store lumber in excess of 100,000 board feet.....	\$ 294.00	_____
(STWP) To store wood products in excess of 200 cubic feet.....	\$ 294.00	_____

Commodity/Product: _____

Location (with dimensions if possible): _____

Special Storage Considerations: _____

Quantity: _____

Comments/Additional Site Information: _____

Required Fire Suppression System Y or N
 For High Piled Storage Requirements See IFC Chapter 32.

Ventilation: Not Required Mechanical Passive

Storage: Room Containment Area