

City of Spokane GIS

POST TOP (MODERN ACORN) SERIES

**TRANSITIONAL SERIES
Single or double fixture**

**TRADITIONAL SERIES
Single or double fixture**

**TRANSITIONAL SERIES
Single fixture with 26' street light**


**TRADITIONAL SERIES
Single fixture with 26' street light**

CITY OF SPOKANE
CBD LIGHTING PROJECT
LIGHTING LAYOUT


CITY OF SPOKANE

CBD LIGHTING PROJECT

TRANSITIONAL SERIES



TYPE S1C




STANDARD 3" TENON (2.875" O.D.)

9" to 10" Dia. Bolt Circle




2 3/4"

- (4) GALV. STL. ANCHOR BOLTS, AASHTO M414-90 GRADE 55, 10" OF THREADED END GALV. PER ASTM A153.
- (4) GALV. STL. HEX. NUTS
- (4) GALV. STL. LOCKWASHERS
- (4) GALV. STL. FLATWASHERS BOLT SIZE 1 X 36 X 4



TYPE P1C




TYPE P2C





CITY OF SPOKANE

CBD LIGHTING PROJECT


TRADITIONAL SERIES




TYPE S1B



- (4) 1"-8NC GALV. STL. ANCHOR BOLTS, AASHTO M314-90 GRADE 55, 10" OF THREADED END GALV. PER ASTM A153.
- (4) 1"-8NC GALV. STL. HEX. NUTS
- (4) 1" GALV. STL. LOCKWASHERS
- (4) 1" GALV. STL. FLATWASHERS BOLT SIZE 1 X 36 X 4



TYPE P2B




TYPE P1B

CITY OF SPOKANE

CBD LIGHTING PROJECT

POST TOP (MODERN ACORN) SERIES



TYPE P1A