



Shoreline/Critical Areas Checklist

Rev.20180103

The Shorelines/Critical Areas Checklist is to be filled out by any person preparing a Land Use Permit Application for the City of Spokane. The purpose of the checklist is to enable City staff to determine whether any potential Shoreline or Critical Areas are, or may be, present on the subject property. The information you provide will help you and reviewing agencies comply with regulations that assure the protection of public and private property, public safety, and the values and functions of environment, water quality, and fish and wildlife. This checklist does not constitute project approval.

A property owner or his/her authorized representative, must fill out the checklist, sign and date it, and submit it to the City as part of a Land Use Permit application process. The City will review the checklist and make a determination of the subsequent steps necessary to complete a Land Use Permit application.

Directions: Please fill out the checklist to the best of your knowledge. The information should be easily available from site observations, agency websites, or data available at City Hall. Maps, supporting data, drawings to scale, and photos must accompany this checklist. *Attach another sheet if more space is required.*

APPLICANT INFORMATION

Property Owner Name: See attached. Date: 12-19-22

Address: See attached narrative for property owner names and addresses.

Phone: _____ Email: _____

Agent Name: Todd R. Whipple, P.E., Whipple Consulting Engineers, Inc.

Address: 21 S Pines Rd., Spokane Valley, WA, 99206

Phone: 509.893.2617 Email: toddw@whipplece.com

SITE INFORMATION *(Attach area, topographical and orthographic maps, and photos)*

Site Address: 2747 W Thorpe Rd., Spokane, WA 99224

Property Tax Parcel Number: Please see attached. Approx. Parcel Size: 177.27 ac +/-

Land Use Designation: RSF Zoning Designation: Residential 4-10

(continued on Page 2)

Is the site currently developed? Yes No

If yes, list existing structures and dimensions: _____

Are you aware of any environmental studies that have been prepared related to or including the subject property or related to any property located within 300 feet of the subject property? If yes, list titles on an attached sheet. Yes No

See SEPA Checklist, wetland study, CRS.

Describe the project: Preliminary plat to subdivide 18 parcels into 1,003 lots, including all construction activities including blasting, that would be required to take vacant land and create a subdivision.

Indicate whether or not the following are potentially located on-site or within 300 feet of the subject property:

| | | | |
|---------------------------|---|---------------------------|---|
| Fish and Wildlife Habitat | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | Floodplain or Floodway | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Wetlands | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | Critical Aquifer Recharge | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| Geological Hazard | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | Spokane River | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Streams | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Latah Creek | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |

SHORELINES *(Provide site specific information, refer to maps and provide support data)*

Describe the general site topography. Check all that apply:

- Flat (*less than 5 foot elevation changes over entire site*)
- Rolling (*slopes on site generally less than 15% - a vertical rise of 10ft over a horizontal distance of 33-66ft*)
- Hilly (*slopes on site more than 15% and less than 30% - vertical rise of 10ft over horizontal distance of 33-66 ft*)
- Steep (*grades of greater than 30% present on site - vertical rise of 10ft over horizontal distance of less than 30ft*)
- Other – please describe: _____

Is there any surface water body or indication of surface water bodies on or in the immediate vicinity (300 feet) of the proposed site or adjacent sites? Check all that apply:

- | | |
|---|---|
| <input type="checkbox"/> Gullies | <input type="checkbox"/> Rivers |
| <input checked="" type="checkbox"/> Wetlands/Potential Wetlands | <input type="checkbox"/> Drainage Ways |
| <input type="checkbox"/> Lakes/Ponds | <input type="checkbox"/> Year-round or Seasonal Streams |
| <input type="checkbox"/> Creeks | |

Site is primarily:

- | | |
|--|---|
| <input checked="" type="checkbox"/> Forested | <input type="checkbox"/> Mixed |
| <input type="checkbox"/> Meadow | <input type="checkbox"/> Agriculture |
| <input type="checkbox"/> Disturbed and/or Degraded | <input type="checkbox"/> Urban Landscaped (lawn, shrubs, etc) |
| <input checked="" type="checkbox"/> Shrubs | |

List all major natural and man-made features: Six single-family residences, several outbuildings and driveways.
Rock outcroppings, wetlands, talus slopes, ect.

ACTIVITIES

Types of Project Activities (within the shoreline jurisdiction, critical area or associated buffer):

Preliminary plat.

Will activities alter man-made or natural drainage features? Yes No


Does project involve clearing, filling, grading, paving, surfacing and/or dredging? Yes No

If yes, please answer the following:

- If activity includes paving, indicate amount of new impervious areas: 23.95 ac (1,043,403 sf)
- If activities include clearing and grading, indicate square feet: 7,721,881.2 +/-
- Will activities involve placing fill materials? Yes No
 If yes, will fill materials exceed one foot in depth? Yes No Depth: 1 to 3 feet
- If fill materials exceed 50 cubic yards, indicate cubic yards: Cut and fill all generated onsite.
- If activities involve earth removal exceeding 2 feet in depth excluding foundation excavation, indicate depth: Grading to be between 3 to 10 feet Expect 200k to 500k cut/fill operations.
should be expected at various parts onsite.

DISCLAIMER AND SIGNATURE

I, the undersigned, swear under penalty of perjury that the above responses are made truthfully and to the best of my knowledge. I also understand that, should there be any willful misrepresentation or willful lack of full disclosure on my part, the agency must withdraw any approvals that it might issue in reliance upon this checklist.

Signature:  Date: 12-19-22

For Use by Agency

Received by: _____ Date: _____

Reviewed by: _____ Date: _____