

**CITY OF SPOKANE,  
WASHINGTON**

**CSO FLOW MONITORING PROJECT**

---

**FLOW, FREQUENCY AND DURATION**

---

**SEWER MAINTENANCE**

**Monthly Report  
May 2020**

**June 4, 2020**  
*CSOMonthly2020-05.docx*

## OVERFLOW EVENTS

Table 1 – Flow-Frequency-Duration, provides a summary of the flow volume calculated for the overflow pipes at each site for each event recorded. The flow calculations are based on flow monitor recorded level and velocity measurements.

**Table 1 – Flow-Frequency-Duration**

Line No.	Regulator Location	CSO No.	Freq.	Date of event <sup>1</sup>	Estimated Total Flow (Gallons) <sup>2</sup>	Event Duration (Min. of Overflow)	Comments
1	AL Parkway Storage (West)	2	None				
2	NW Blvd @ Kiernan	6	2	Total	1,368,110	445	Missing data 05/22 07:00 to 05/22 07:05 Missing data 05/24 14:00 to 05/24 14:05
				05/20	1,002,794	280	
				05/31	365,316	165	
3	Columbia @ Downriver	7	2	Total	118,249	255	
				05/17	93,611	210	
				05/31	24,638	45	
4	Nettleton @ York/Buckeye	10	None				
5	Nora @ Pettet	12	2	Total	646,683	340	
				05/20	570,686	265	
				05/31	75,997	75	
6	Sherwood @ Summit	14	1	Total	3,582	20	
				05/18	3,582	20	
7	Nettleton @ Ohio	15	1	Total	6,210	25	Missing data 05/08 09:40 to 05/08 09:45 Missing data 05/08 13:20 to 05/08 13:25 Missing data 05/08 13:40 to 05/08 14:45 Missing data 05/08 15:15 to 05/08 15:20 Missing data 05/18 19:55 to 05/18 20:20 Missing data 05/19 10:15 to 05/19 10:20
				05/18	6,210	25	
8	Clarke @ Riverside	16	None				

<sup>1</sup> Designation as an event means that both a level and velocity reading were recorded concurrently. Not all level and velocity readings that were coincident are included in this report, however. The level and velocity readings that appear to be “background noise” from the electronic equipment are not included in the table.

<sup>2</sup> The flows presented in this column are calculated from measurements of velocity and depth of flow by electronic devices inserted in the water stream. These measurements are subject to singular and possibly cumulative errors. These errors result from limitations inherent in the measuring devices and from the introduction of a measuring device in to the physical flow stream. Also, error in velocity and depth measurements may be and typically are introduced by the physical conditions of each site. The flow numbers presented in this table are estimates only.

Line No.	Regulator Location	CSO No.	Freq.	Date of event 1	Estimated Total Flow (Gallons) <sup>2</sup>	Event Duration (Min. of Overflow)	Comments
9	7th @ Inland Empire	19	None				
11	Main @ Oak	22B	None				
12	Cedar @ Summit	23-1	None				Missing data 05/05 20:10 to 05/05 20:15 Missing data 05/12 17:55 to 05/12 18:00 Missing data 05/20 15:20 to 05/20 15:25 Missing data 05/26 13:25 to 05/26 13:30 Missing data 05/27 13:05 to 05/27 13:10
15	1st @ Adams	24-1	2	Total	3,826,479	555	
				05/20	2,757,346	405	
				05/31	1,069,133	150	
16	Cedar @ Main	25	None				Missing data 05/04 07:15 to 05/04 07:20 Missing data 05/11 12:10 to 05/11 12:15 Missing data 05/15 12:40 to 05/15 12:45 Missing data 05/20 07:00 to 05/20 07:05 Missing data 05/26 08:10 to 05/26 08:15
17	Riverside @ Lincoln	26	2	Total	5,174,207	910	Missing data 05/20 07:05 to 05/20 07:10
				05/17	2,730,370	665	
				05/31	2,443,837	245	
19	Arthur @ 3rd	33C	None				
20	Liberty Park (west end)	33-1	1	Total	16,177	35	
				05/21	16,177	35	
21	Sprague Ave @ Sprague Wy	33-2	None				Missing data 05/07 12:55 to 05/07 13:55
22	Riverside @ Napa/Crestline	34	None				
23	S. Riverton @ Magnolia	38-1	None				
24	Rebecca @ Upriver	41	None				
25	Riverton @ Surro	42	None				
26	RPWRF CSO-Related Bypass	N/A	None				Permit Section S13.H
	Monthly Total		13		11,159,697	2,585	No Dry Weather Overflows No RPWRF CSO-Related Bypasses

Table 2 – Rainfall Summary<sup>3</sup>

Date	343	344	Shadle	Hartson	CityHall	Joe_Albi	RkwdVsta	Station8	W_Drive	Nora&Pet	Lincoln	Northeast	Crest&Hoff	GEG	Snow	Dpth	NWS	Snow	Dpth	SFF
Date	Rain	Rain	Rain	Rain	Rain	Rain	Rain	Rain	Rain	Rain	Rain	Rain	Rain	Rain	Snow	Dpth	Rain	Snow	Dpth	Rain
05/01/20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05/02/20	0.18	0.17	0.11	0.18	0.11	0.12	0.29	0.20	0.16	0.10	0.23	0.18	0.17	0.10	-	-	0.11	-	-	0.23
05/03/20	0.06	0.05	0.01	0.06	0.03	0.01	0.06	0.04	0.02	0.02	0.02	0.06	0.02	T	-	-	0.02	-	-	0.04
05/04/20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05/05/20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05/06/20	0.32	0.30	0.29	0.28	0.27	0.35	0.33	0.28	0.33	0.34	0.32	0.25	0.28	0.22	-	-	0.31	-	-	0.28
05/07/20	-	-	-	-	-	-	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-
05/08/20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05/09/20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05/10/20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05/11/20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	t
05/12/20	0.10	0.09	0.08	0.11	0.05	0.12	0.17	0.06	0.07	0.06	0.15	0.09	0.1P	0.08	-	-	0.12	-	-	0.08
05/13/20	-	-	0.02	0.01	0.01	0.03	0.01	0.04	0.01P	0.02	0.15	0.03	0.04	T	-	-	0.02	-	-	0.07
05/14/20	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.03	0.03	0.01	0.03	0.02	0.02P	0.02	-	-	0.02	-	-	0.03
05/15/20	0.02	0.04	0.10	0.01	0.02	0.10	0.03	0.01	0.03P	0.08P	0.06	0.06	0.05	0.08	-	-	0.02	-	-	0.03
05/16/20	-	-	-	-	-	-	-	-	M	-	-	-	-	T	-	-	T	-	-	T
05/17/20	0.34	0.20	0.26	0.29	0.07	0.10	0.18	0.23	M	0.22	0.12	0.09	0.09	0.26	-	-	0.11	-	-	0.16
05/18/20	0.23	0.30	0.51	0.42	0.26	0.14	0.31	0.20	M	0.36	0.25	0.32	0.21	0.17	-	-	0.28	-	-	0.17
05/19/20	0.19	0.19	0.11	0.17	0.09	0.05	0.16	0.15	M	0.03	0.16	0.16	0.08	0.08	-	-	0.14	-	-	0.20
05/20/20	1.23	1.26	1.23	1.10	1.11	1.19	1.81	1.34	M	1.24	1.22	1.35	1.34	1.40	-	-	1.32	-	-	1.40
05/21/20	0.01	0.01	0.01	-	-	0.01	0.01	-	0P	0.05	-	0.04	0.08	0.01	-	-	-	-	-	0.01
05/22/20	0.01	-	0.01	0.02	-	0.01	-	0.01	0.01	0.01	0.05	0.03	0.02	T	-	-	0.03	-	-	0.03
05/23/20	-	-	-	-	-	-	-	-	-	-	-	-	-	T	-	-	T	-	-	-
05/24/20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05/25/20	0.01	-	0.02	0.02	0.04	0.02	0.03	0.05	0.04	0.03	0.05	0.06	0.05	0.01	-	-	0.05	-	-	0.07
05/26/20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05/27/20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05/28/20	-	-	-	-	-	-	-	-	0P	-	-	-	0P	-	-	-	-	-	-	-
05/29/20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05/30/20	-	0.02	0.05	-	0.05	0.01	0.02	-	0.06	0.05	0.02	-	-	T	-	-	0.07	-	-	T
05/31/20	1.04	0.74	0.79	0.90	0.72	0.77	1.18	0.93	0.74	0.77	0.83	0.88	0.79	0.81	-	-	0.71	-	-	0.86
Total	3.76	3.39	3.62	3.59	2.84	3.05	4.62E	3.57	1.50M	3.39M	3.66	3.62	3.25M	3.24	0.00	-	3.33	0.00	-	3.66

E – Erroneous data

M – Missing Data

P – Partial Missing data

T – Trace of rain/snow

X – Out of Service

<sup>3</sup> Some rain gauges are heated. Consequently, they will tend to record snow melt immediately as rain. The rain gauges that are not heated will typically register snow melt when it actually melts.

**Table 3 – Rain Gauges**

343	23 <sup>rd</sup> & Ray
344	Division & Manito
Shadle	Shadle Water Tower (was 345)
Hartson	Ray & Hartson (was 346)
CityHall	City Hall (was 347)
Joe_Albi	Joe Albi Stadium
RkwdVsta	Rockwood Vista
Station8	Fire Station 8, Rebecca & Mission
W_Drive	West Drive Reservoir
Nora&Pet	Nora & Pettet
Lincoln	Lincoln Rd Lift Station
Northeast	Northeast Lift Station
Crest&Hoff	Crestline & Hoffman
GEG	Spokane Airport
NWS	National Weather Service – Spokane
SFF	Spokane Felts Field