

**CITY OF SPOKANE,
WASHINGTON**

CSO FLOW MONITORING PROJECT

FLOW, FREQUENCY AND DURATION

SEWER MAINTENANCE

**Monthly Report
May 2024**

June 6, 2024
CSOMonthly2024-05.docx

OVERFLOW EVENTS

Table 1 – Flow-Frequency-Duration, provides a summary of the flow volume calculated for the overflow pipes at each site for each event recorded. The flow calculations are based on flow monitor recorded level and velocity measurements.

Table 1 – Flow-Frequency-Duration

| Line No. | Regulator Location | CSO No. | Freq. | Date of event ¹ | Estimated Total Flow (Gallons) ² | Event Duration (Min. of Overflow) | Comments |
|----------|---------------------------|---------|-------|----------------------------|---|-----------------------------------|---|
| 1 | AL Parkway Storage (West) | 2 | None | | | | Missing data 05/02 18:00 to 05/02 18:05 |
| 2 | NW Blvd @ Kiernan Ave | 6 | None | | | | |
| 3 | Columbia @ Downriver | 7 | None | | | | |
| 4 | Cochran @ York | 10 | None | | | | |
| 5 | Pettet Dr & Mansfield | 12 | None | | | | |
| 6 | Sherwood @ Summit | 14 | None | | | | |
| 7 | Nettleton @ Ohio | 15 | None | | | | |
| 8 | Clarke @ Riverside | 16 | None | | | | |
| 9 | 7th @ Inland Empire | 19 | None | | | | |
| 10 | Cedar St @ Summit | 23-1 | None | | | | Missing data 05/28 09:05 to 05/28 09:10 |
| 11 | Sprague @ Adams | 24-1 | None | | | | |
| 12 | Cedar @ Main | 25 | None | | | | |
| 13 | Lincoln @ Spokane Falls | 26 | None | | | | |
| 14 | Liberty Park (west end) | 33-1 | None | | | | Missing data 05/08 07:15 to 05/08 08:10 |

¹ Designation as an event means that both a level and velocity reading were recorded concurrently. Not all level and velocity readings that were coincident are included in this report, however. The level and velocity readings that appear to be “background noise” from the electronic equipment are not included in the table.

² The flows presented in this column are calculated from measurements of velocity and depth of flow by electronic devices inserted in the water stream. These measurements are subject to singular and possibly cumulative errors. These errors result from limitations inherent in the measuring devices and from the introduction of a measuring device into the physical flow stream. Also, error in velocity and depth measurements may be and typically are introduced by the physical conditions of each site. The flow numbers presented in this table are estimates only.

| Line No. | Regulator Location | CSO No. | Freq. | Date of event ¹ | Estimated Total Flow (Gallons) ² | Event Duration (Min. of Overflow) | Comments |
|----------|--------------------------------|---------|----------|----------------------------|---|-----------------------------------|--|
| 15 | Sprague Ave west of Sprague Wy | 33-2 | None | | | | |
| 16 | Riverside @ Crestline | 34 | None | | | | Missing data 05/17 08:15 to 05/17 08:20 |
| 17 | S. Riverton @ Magnolia | 38-1 | None | | | | |
| 18 | Rebecca @ Upriver | 41 | None | | | | |
| 19 | Surro west of Waterworks | 42 | None | | | | Missing data 05/20 09:10 to 05/20 09:15 Missing data 05/28 08:05 to 05/28 08:15 |
| 20 | RPWRF CSO-Related Bypass | N/A | None | | | | Permit Section S13.H |
| | Monthly Total | | 0 | | 0 | 0 | No Dry Weather Overflows No RPWRF CSO-Related Bypasses |

Table 2 – Rainfall Summary³

| Date | 343 Rain | 344 Rain | Shadle Rain | Hartson Rain | CityHall Rain | RkwdVsta Rain | Station8 Rain | W_Drive Rain | Nora&Pet Rain | Lincoln Rain | Northeast Rain | Crest&Hoff Rain | GEG Rain | Snow | Depth | NWS Rain | Snow | Depth | SFF Rain |
|--------------|-------------|-------------|----------------|-----------------|------------------|------------------|------------------|-----------------|------------------|-----------------|-------------------|--------------------|-------------|-------------|-------|-------------|-------------|-------|-------------|
| 05/01/24 | - | - | - | - | M | - | - | - | - | - | - | - | T | - | - | T | - | - | T |
| 05/02/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 05/03/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 05/04/24 | - | - | - | - | M | - | - | - | - | - | - | - | T | - | - | T | - | - | - |
| 05/05/24 | 0.47 | 0.42 | 0.36 | 0.31 | M | 0.36 | 0.32 | 0.35 | 0.34 | 0.32 | 0.28 | 0.38 | 0.36 | - | - | 0.34 | - | - | 0.40 |
| 05/06/24 | 0.10 | 0.19 | 0.19 | 0.27 | M | 0.11 | 0.28 | 0.23 | 0.29 | 0.69 | 0.38 | 0.36 | 0.10 | - | - | 0.17 | - | - | 0.25 |
| 05/07/24 | - | - | - | - | M | - | - | - | - | - | - | - | T | - | - | T | - | - | - |
| 05/08/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 05/09/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 05/10/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 05/11/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 05/12/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 05/13/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | T | - | - | - |
| 05/14/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 05/15/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 05/16/24 | - | - | - | - | M | - | - | - | - | 0.02 | - | - | T | - | - | - | - | - | - |
| 05/17/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 05/18/24 | - | 0.01 | - | 0.01 | M | 0.02 | 0.03 | - | 0.04 | - | 0.01 | 0.01 | T | - | - | 0.01 | - | - | 0.06 |
| 05/19/24 | 0.32 | 0.15 | 0.31 | 0.23 | M | 0.23 | 0.27 | 0.17 | 0.25 | 0.37 | 0.20 | 0.27 | 0.04 | T | - | 0.07 | - | - | 0.27 |
| 05/20/24 | - | 0.01 | 0.01 | - | M | 0.01 | 0.01 | - | - | 0.14 | 0.15 | 0.01 | - | - | M | 0.01 | - | - | 0.05 |
| 05/21/24 | 0.11 | 0.09 | 0.06 | 0.07 | M | 0.07 | 0.06 | 0.07 | 0.05 | 0.09 | 0.07 | 0.09 | 0.07 | - | - | 0.09 | - | - | 0.09 |
| 05/22/24 | 0.31 | 0.32 | 0.27 | 0.34 | M | 0.29 | 0.30 | 0.31 | 0.28 | 0.41 | 0.41 | 0.41 | 0.22 | - | - | 0.23 | - | - | 0.30 |
| 05/23/24 | - | - | OP | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 05/24/24 | - | - | OP | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 05/25/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 05/26/24 | - | - | - | - | M | - | - | - | - | - | - | - | T | - | - | - | - | - | - |
| 05/27/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 05/28/24 | 0.02 | 0.02 | 0.02 | 0.03 | M | 0.02 | 0.02 | 0.04 | 0.03 | 0.07 | 0.04 | 0.05 | 0.03 | - | - | 0.02 | - | - | 0.02 |
| 05/29/24 | 0.01 | 0.05 | 0.01 | 0.03 | M | 0.01 | 0.02 | 0.05 | 0.01 | 0.05 | 0.02 | 0.05 | 0.01 | - | - | 0.05 | - | - | 0.17 |
| 05/30/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | T |
| 05/31/24 | - | - | - | - | M | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Total | 1.34 | 1.26 | 1.23P | 1.29 | 0.00M | 1.12 | 1.31 | 1.22 | 1.29 | 2.16 | 1.56 | 1.63 | 0.83 | 0.00 | | 0.99 | 0.00 | | 1.61 |

E – Erroneous Data (Over/Under Count)

M – Missing Data (Whole Day)

P – Partial Missing Data (Less Than 1 Day)

T – Trace of Rain/Snow

³ Some rain gauges are heated. Consequently, they will tend to record snow melt immediately as rain. The rain gauges that are not heated will typically register snow melt when it actually melts.

Table 3 – Rain Gauges

| | |
|------------|------------------------------------|
| 343 | 23 rd & Ray |
| 344 | Division & Manito |
| Shadle | Shadle Water Tower (was 345) |
| Hartson | Ray & Hartson (was 346) |
| CityHall | City Hall (was 347) |
| RkwdVsta | Rockwood Vista |
| Station8 | Fire Station 8, Rebecca & Mission |
| W_Drive | West Drive Reservoir |
| Nora&Pet | Nora & Pettet |
| Lincoln | Lincoln Rd Lift Station |
| Northeast | Northeast Lift Station |
| Crest&Hoff | Crestline & Hoffman |
| GEG | Spokane Airport |
| NWS | National Weather Service – Spokane |
| SFF | Spokane Felts Field |